

895

socket holder for bits
item 861 - 862 - 866



DIN 7427

	□	○	L	Ø		
	mm	mm	mm	mm		
895/1	1/4	1/4	25,4	12	5	008950000
895/3	1/4	3/8	29	16,8	5	008950001
895/4	5/16	3/8	29	16,8	5	008950002
895/5	1/4	1/2	38	22	5	008950005
895/6	5/16	1/2	38	22	5	008950003

897

flexible bit holder with handle



L	L1		
mm	mm		
280	154	2	008970010

897L

flexible bit holder with handle, long model



L	L1		
mm	mm		
500	380	2	008970015

900

hexagon hand sockets



UNI/ISO 2725 DIN 3124


⊗	Ø	L	Ø1		
mm	mm	mm	mm		
4	6,8	25	11,8	10	009000040
4,5	7,4	25	11,8	10	009000045
5	8,0	25	11,8	10	009000050
5,5	8,7	25	11,8	10	009000055
6	9,3	25	11,8	10	009000060
7	10,4	25	11,8	10	009000070
8	11,8	25	12,7	10	009000080
9	12,7	25	11,8	10	009000090
10	14,2	25	12,0	10	009000100
11	15,8	25	12,5	10	009000110
12	17,2	25	13,5	10	009000120
13	18,0	25	13,5	10	009000130
14	20,0	25	15,0	10	009000140



900/SB13		
4-4,5-5-5,5-6-7-8-9	1	009000150
10-11-12-13-14 mm		

900MB

bi-hex hand sockets



UNI/ISO 2725 DIN 3124


⊗	Ø	L	Ø1		
mm	mm	mm	mm		
4	6,7	22	11,2	5	009000160
5	7,7	25	11,2	5	009000161
5,5	8,3	25	11,2	5	009000162
6	9,0	25	11,2	5	009000163
7	10,2	25	11,2	5	009000164
8	11,3	25	12,0	5	009000165
9	13,0	25	12,0	5	009000166
10	14,3	25	12,9	5	009000167
11	16,0	25	14,3	5	009000168
12	17,4	25	16,0	5	009000169
13	18,0	25	16,4	5	009000170
14	19,3	25	17,9	5	009000171



900MB/SB12		
4-5-5,5-6-7-8-9-10	1	009000179
11-12-13-14 mm		

900L

hexagon hand sockets, long series



UNI/ISO 2725 DIN 3124


⊗	Ø	L	Ø1		
mm	mm	mm	mm		
4	6,5	50	12,0	5	009000181
4,5	7,0	50	12,0	5	009000182
5	7,5	50	12,0	5	009000183
5,5	8,5	50	12,0	5	009000184
6	9,5	50	12,0	5	009000185
7	10,5	50	12,0	5	009000186
8	12,0	50	12,0	5	009000187
9	13,0	50	13,0	5	009000188
10	14,0	50	14,0	5	009000189
11	16,0	50	16,0	5	009000190
12	17,5	50	17,5	5	009000191
13	17,5	50	17,5	5	009000192
14	20,0	50	20,0	5	009000193



900L/SB13		
4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	1	009000203

900MB/L

bi-hex hand sockets, long series




UNI/ISO 2725 DIN 3124

⊗	Ø	L	Ø1		
mm	mm	mm	mm		
5	8,0	50	12,0	3	009000211
6	9,3	50	12,0	3	009000212
7	10,9	50	12,0	3	009000213
8	11,6	50	12,0	3	009000214
9	13,0	50	12,0	3	009000215
10	14,3	50	12,8	3	009000216
11	16,0	50	14,2	3	009000217
12	17,4	50	15,5	3	009000218
13	18,0	50	16,2	3	009000219
14	19,0	50	17,1	3	009000220

900AS

hexagon hand sockets




⊗	Ø	L	Ø1		
mm	mm	mm	mm		
5/32	8,8	25	11,9	5	009000349
3/16	7,7	25	11,9	5	009000340
7/32	8,8	25	11,9	5	009000345
1/4	9,6	25	11,9	5	009000350
9/32	10,2	25	11,9	5	009000355
5/16	11,3	25	11,9	5	009000360
11/32	12,7	25	11,6	5	009000365
3/8	14,0	25	12,9	5	009000370
7/16	15,3	25	14,5	5	009000375
1/2	17,5	25	16,4	5	009000380
9/16	19,0	25	17,9	5	009000385



900AS/SB11		
3/16-7/32-5/32-1/4-9/32-5/16-11/32-3/8-7/16-1/2-9/16	1	009000389

900AS/MB

bi-hex hand sockets




SAE AS 954E

⊗	Ø	L	Ø1		
"	mm	mm	mm		
3/16	7,7	22	10,9	2	009000390
7/32	8,5	22	10,9	2	009000391
1/4	9,4	22	10,9	2	009000392
9/32	10,2	22	10,9	2	009000393
5/16	11,3	22	11,7	2	009000394
11/32	12,5	22	12,0	2	009000395
3/8	13,7	22	12,9	2	009000396
7/16	15,6	22	14,3	2	009000397
1/2	17,2	22	16,4	2	009000398
9/16	18,8	24	17,9	2	009000399

900AS/L

hexagon hand sockets, long series




SAE AS 954E

Hex	Ø	L	Ø1	Qty	Part No.
"	mm	mm	mm		
3/16	7,0	50	12,0	2	009000301
7/32	8,5	50	12,0	2	009000303
1/4	9,8	50	12,0	2	009000305
9/32	10,5	50	12,0	2	009000307
5/16	12,0	50	12,0	2	009000309
11/32	13,0	50	13,0	2	009000311
3/8	14,0	50	14,0	2	009000313
7/16	16,0	50	16,0	2	009000315
1/2	17,5	50	17,5	2	009000317
9/16	20,0	50	20,0	2	009000319

900AS/MBL


bi-hex hand sockets, long series



Hex	Ø	L	Ø1	Qty	Part No.
"	mm	mm	mm		
5/32	6,8	50	12,0	2	009000325
3/16	8,0	50	12,0	2	009000326
7/32	8,5	50	12,0	2	009000327
1/4	9,8	50	12,0	2	009000328
9/32	10,9	50	12,0	2	009000329
5/16	11,6	50	12,0	2	009000330
11/32	13,0	50	12,0	2	009000331
3/8	14,3	50	12,8	2	009000332
7/16	16,0	50	14,2	2	009000333
1/2	18,0	50	16,2	2	009000334
9/16	19,0	50	17,1	2	009000335

900FTX

hand sockets for Torx® head screws



Hex	Ø	L	Ø1	Qty	Part No.
"	mm	mm	mm		
E4	5,4	22	11,2	5	009000404
E5	6,7	22	11,2	5	009000405
E6	7,7	22	11,2	5	009000406
E7	8,3	22	11,2	5	009000407
E8	9,6	22	11,2	5	009000408
E10	11,3	22	12,0	5	009000410
E11	12,1	22	12,5	5	009000411
E12	12,9	23	12,9	5	009000412
E14	14,0	25	14,0	5	009000414



900FTX/SB9
E4-E5-E6-E7-E8
E10-E11-E12-E14
1 009000419

900LP

socket drivers for slotted head screws



SxA	Ø	L	L1	Qty	Part No.
mm	mm	mm	mm		
0,8x4	12	28	9	5	009000605
1x5,5	12	28	9	5	009000610
1,2x6,5	12	28	9	5	009000615
1,2x8	13	28	8	5	009000620
1,6x10	14	28	8	5	009000625

900PH

socket drivers for cross head Phillips® screws



PH	Ø	L	L1	Qty	Part No.
	mm	mm	mm		
1	12	28	12	5	009000701
2	12	28	12	5	009000702
3	12	28	12	5	009000703
4	13	28	11	5	009000704



900PH/SB4
PH1-PH2-PH3-PH4
1 009000708

900ME

socket drivers for hexagon screws



mm	Ø	L	L1	Qty	Part No.
	mm	mm	mm		
2,5	12	25	4,5	5	009000502
3	12	25	5,0	5	009000503
4	12	25	5,6	5	009000504
5	12	25	6,3	5	009000505
6	12	25	7,6	5	009000506
7	13	25	7,2	5	009000507
8	13	25	8,0	5	009000508
10	13	25	8,7	5	009000510



900ME/SB8
2,5-3-4-5-6-7-8-10 mm
1 009000518

900PT

socket drivers for 5-star head screws



Hex	Ø	L	L1	Qty	Part No.
"	mm	mm	mm		
PT10	12	28	12	5	009000750
PT15	12	28	12	5	009000755
PT20	12	28	12	5	009000760
PT25	12	28	12	5	009000765
PT27	12	28	12	5	009000767
PT30	12	28	12	5	009000770

900TX

socket drivers for Torx® head screws



Hex	Ø	L	L1	Qty	Part No.
"	mm	mm	mm		
T8	12	28	12	5	009000719
T9	12	28	12	5	009000720
T10	12	28	12	5	009000721
T15	12	28	12	5	009000722
T20	12	28	12	5	009000723
T25	12	28	12	5	009000724
T27	12	28	12	5	009000725
T30	12	28	12	5	009000726
T40	12	28	12	5	009000727



900TX/SB8
T9-T10-T15-T20
T25-T27-T30-T40
1 009000730

900/16

adaptor, 1/4" female and 3/8" male drives




UNI/ISO 3316 DIN 3123

L	Ø	Hex	Hex	Qty	Part No.
mm	mm	"	"		
28	13,0	1/4	3/8	5	009000814

900/...

1/4" female and male drive extension bars




UNI/ISO 3316 DIN 3123

	L mm	Ø mm	
900/20	50	11,5	5 009000818
900/20L	100	11,5	5 009000819
900/21	150	11,5	5 009000822
900/22	250	11,5	5 009000823
900/23	350	11,5	5 009000824

900AN


1/4" wobble extension bars



	L mm	Ø mm	
900AN/50	50	11,5	3 009000825
900AN/100	100	11,5	3 009000826

900FL

1/4" flexible universal extension bar



	L mm	Ø mm	
900FL	150	12	3 009000828

900/25

1/4" drive universal joint



UNI/ISO 3316 DIN 3123

	L mm	Ø mm	
900/25	41	12,5	5 009000830

900BG/30C

1/4" drive spinner handle




UNI/ISO 3315 DIN 3122

	L mm	L1 mm	
900BG/30C	128	20	5 009000833

900BG/30

1/4" drive spinner handle



UNI/ISO 3315 DIN 3122

	L mm	L1 mm	
900BG/30	176	68	5 009000834

900/32

1/4" drive flexible handle



	L mm	L1 mm	
900/32	280	154	2 009000839

900/35A

1/4" drive swivel handle



UNI/ISO 3315 DIN 3122

	L mm	L1 mm	
900/35A	148	84	5 009000840

900M/35

1/4" swivel drive with metal handle



UNI/ISO 3315
DIN 3122

	L mm	L1 mm	
900M/35	130		3 009000845

900/40

1/4" drive swivel T-handle



	L mm	L1 mm	
900/40	390	145	3 009000843

900/42

1/4" drive sliding T-handle



UNI/ISO 3315 DIN 3122

	L mm	A mm	
900/42	115	22	5 009000854

900T/44

1/4" male drive, bent, with high torque handle



	L mm	L1 mm	
900T/44	238	105	2 009000860

900/55

1/4" drive reversible ratchet, 48 teeth



UNI/ISO 3315 DIN 3122

	L mm	Ø mm	A mm	
900/55	125	25	18	5 009000870

900M/55

1/4" drive reversible ratchet with metal handle



UNI/ISO 3315
DIN 3122


	L mm	Ø mm	A mm	
900M/55	110	22	18	3 009000905

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

900/58

1/4" drive reversible ratchet
with rotating handle,
52 tooth mechanism

- Socket release button
- Ring nut reversal system on ratchet head
- Bi-material handle



L mm	Ø mm	A mm	Icon	Icon
126	28	28,5	1	009000884

900/C39

11 hexagon sockets, 21 bits and 7 accessories



Icon	Icon
1	009000937

	861LP	0,6x4,5 - 1,2x6,5 - 1,2x8 mm
	861PH	PH1-PH2-PH3
	861PZ	PZ1-PZ2-PZ3
	861PE	2,5-3-4-5-6 mm
	861RTX	T10-T15-T20-T25-T27-T30-T40
	900	5-5,5-6-7-8-9-10-11-12-13-14 mm
	900/20	50 mm
	900/20L	100 mm
	900/25	
	900BG/30C	
	900/55	
	892/0	
	895/1	

900/C11

11 hexagon sockets, 20 bits
and 8 accessories



Icon	Icon
1	009000971

	861LP	0,5x3 - 0,8x5,5 1x5,5 - 1,2x6,5 mm
	861PE	3 - 4 - 5 - 6 - 8 mm
	861PH	0 - 1 - 2 - 3
	861TX	T8 - T10 - T15 - T20 T25 - T30 - T40
	895/1	
	900	5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm
	900/16	□ 1/4 - ■ 3/8
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/42	
	900/55	

270x120x45 mm - 1,2 kg

900/C13-5

13 hexagon sockets and 5 accessories



Icon	Icon
1	009000953

	900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/42	
	900/55	

270x120x45 mm - 1 kg

900/C13-8

13 hexagon sockets and 8 accessories



Icon	Icon
1	009000954

	900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
	900/16	□ 1/4 - ■ 3/8
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/35A	
	900/42	
	900/55	

270x120x45 mm - 1,1 kg

900MB/C19

11 bi-hex sockets and 8 accessories



Icon	Icon
1	009000977

	900MB	5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm
	900/16	□ 1/4 - ■ 3/8
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/35A	
	900/42	
	900/55	

270x120x45 mm - 1,1 kg

900/C24

13 hexagon sockets, 11 socket drivers and 6 accessories

1 1/4"



900/C24

1 009000956

	○ 900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
	● 900LP	0,8x4 - 1,2x6,5 - 1,2x8 mm
	⊕ 900PH	PH1 - PH2 - PH3
	○ 900ME	3 - 4 - 5 - 6 - 8 mm
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/42	
	⊕ 900/55	
≡ 270x120x45 mm - 1,1 kg		

900MB/C28

11 bi-hex sockets, 11 socket drivers and 6 accessories

1 1/4"



900MB/C28

1 009000979

	○ 900MB	5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm
	● 900LP	0,8x4 - 1,2x6,5 - 1,2x8 mm
	⊕ 900PH	PH1 - PH2 - PH3
	○ 900ME	3 - 4 - 5 - 6 - 8 mm
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/42	
	⊕ 900/55	
≡ 270x120x45 mm - 1,1 kg		

900AS/C10 - /MB-C17

10 sockets and 7 accessories

1 1/4"



900AS/C10

1 009000961

	○ 900AS	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/35A	
	900/42	
	⊕ 900/55	
≡ 270x120x45 mm - 1,1 kg		

900AS/MB-C17


1 009000981

	○ 900AS/MB	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900/35A	
	900/42	
	⊕ 900/55	
≡ 270x120x45 mm - 1,1 kg		

900AS/C17-MBM

10 bi-hex sockets and 7 accessories for aeronautical maintenance

1 1/4"



900AS/C17-MBM

1 009000982

	○ 900AS/MB	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
	900/20	50 mm
	900/21	150 mm
	900/25	
	900BG/30	
	900M/35	
	900/42	
	900M/55	
≡ 270x120x45 mm - 1,2 kg		

900/C11HR

11 hexagon sockets, 20 bits and 7 accessories in hard foam tray, in metal case

• ratchet with rotating handle

1 1/4"

1 1/4"



900/C11HR

1 009000980

	● 861LP	0,5x3-0,8x5,5-1x5,5-1,2x6,5 mm
	⊕ 861PH	PH0-PH1-PH2-PH3
	○ 861PE	3-4-5-6-8 mm
	⊕ 861TX	T8-T10-T15-T20-T25-T30-T40
	895/1	
	○ 900	5-5,5-6-7-8-9-10-11-12-13-14 mm
	900/16	□ 1/4 - ■ 3/8
	900/20	50 mm
	900/21	150 mm
	900/25	
	900/42	
	900/30	
	900/58	
≡ 350x150x50 mm - 1,3 kg		

902R/C6

6 adaptors for socket drivers




902R/C6

1 009020814

	900/16	□ 1/4 - ■ 3/8
	910/15	□ 3/8 - ■ 1/4
	910/16	□ 3/8 - ■ 1/2
	920/15	□ 1/2 - ■ 3/8
	920/16	□ 1/2 - ■ 3/4
	928/15	□ 3/4 - ■ 1/2
≡ 170x100x35 mm - 600 g		

910A

hexagon hand sockets



UNI/ISO 2725 DIN 3124

mm	Ø	L	Ø1		
6	9,5	28	16,7	5	009100006
7	10,7	28	16,7	5	009100007
8	12,1	28	16,7	5	009100008
9	13,2	28	16,7	5	009100009
10	14,6	29	16,7	5	009100010
11	15,8	29	16,7	5	009100011
12	17,2	30	17,7	5	009100012
13	18,4	31	17,0	5	009100013
14	19,7	32	17,5	5	009100014
15	20,9	32	18,0	5	009100015
16	22,2	33	18,5	5	009100016
17	23,2	33	19,0	5	009100017
18	24,7	34	20,0	5	009100018
19	25,8	35	21,0	5	009100019
20	27,2	35	22,0	5	009100020
21	28,2	36	23,0	5	009100021
22	29,7	37	24,0	5	009100022




910A/SB17

6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21-22 mm

1 009100030

910B

bi-hex hand sockets



UNI/ISO 2725 DIN 3124

mm	Ø	L	Ø1		
6	9,5	28	16,7	5	009100106
7	10,7	28	16,7	5	009100107
8	12,1	28	16,7	5	009100108
9	13,2	28	16,7	5	009100109
10	14,6	29	16,7	5	009100110
11	15,8	29	16,7	5	009100111
12	17,2	30	17,7	5	009100112
13	18,4	31	17,0	5	009100113
14	19,7	32	17,5	5	009100114
15	20,9	32	18,0	5	009100115
16	22,2	33	18,5	5	009100116
17	23,2	33	19,0	5	009100117
18	24,7	34	20,0	5	009100118
19	25,8	35	21,0	5	009100119
20	27,2	35	22,0	5	009100120
21	28,2	36	23,0	5	009100121
22	29,7	37	24,0	5	009100122




910B/SB17

6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21-22 mm

1 009100130

910AL

hexagon hand sockets,
long series



UNI/ISO 2725 DIN 3124

mm	Ø	L	Ø1		
8	12,0	55	17	3	009100158
9	13,0	55	17	3	009100159
10	14,5	55	17	3	009100160
11	16,0	55	17	3	009100161
12	17,0	55	17	3	009100162
13	18,0	55	17	3	009100163
14	20,0	55	18	3	009100164
15	21,0	55	20	3	009100165
16	22,0	55	20	3	009100166
17	23,5	55	22	3	009100167
18	24,5	55	23	2	009100168
19	25,0	55	24	2	009100169
21	27,0	65	26	2	009100171
22	29,0	65	28	2	009100172




910AL/SB14

8-9-10-11-12-13-14
15-16-17-18-19-21-22 mm

1 009100174

910BL

bi-hex hand sockets, long series



UNI/ISO 2725 DIN 3124

mm	Ø	L	Ø1		
8	12,0	55	17	3	009100308
9	13,0	55	17	3	009100309
10	14,5	55	17	3	009100310
11	16,0	55	17	3	009100311
12	17,0	55	17	3	009100312
13	18,0	55	17	3	009100313
14	20,0	55	18	3	009100314
15	21,0	55	20	3	009100315
16	22,0	55	20	3	009100316
17	23,5	55	22	3	009100317
18	24,5	55	23	2	009100318
19	25,0	55	24	2	009100319
21	27,0	65	26	2	009100321
22	29,0	65	28	2	009100322




910BL/SB14

8-9-10-11-12-13
14-15-16-17-18
19-21-22 mm

1 009100340

910B/SN


swivel end bi-hex hand sockets



mm	Ø	L	Ø1		
10	14,5	48,5	19	2	009100230
11	15,8	49,5	19	2	009100231
12	17,0	50,0	19	2	009100232
13	18,3	51,0	19	2	009100233
14	19,5	51,0	19	2	009100234
15	20,8	53,5	19	2	009100235
16	22,0	53,5	19	2	009100236
17	23,3	54,5	19	2	009100237
18	24,5	54,5	19	2	009100238
19	25,8	56,5	19	2	009100239

910A/AS

hexagon hand sockets



"	Ø	L	Ø1		
1/4	10,3	26	17,3	5	009100276
5/16	11,9	26	17,3	5	009100278
11/32	13,3	26	17,3	5	009100279
3/8	13,9	26	17,3	5	009100280
7/16	15,8	26	17,3	5	009100281
1/2	17,9	26	17,3	5	009100283
9/16	19,5	27	18,5	5	009100284
19/32	20,6	27	19,5	5	009100285
5/8	21,9	28	20,0	5	009100286
11/16	24,6	30	22,5	5	009100287
3/4	25,9	30	23,5	5	009100289
13/16	27,9	32	26,0	5	009100291
7/8	29,6	32	26,5	5	009100292



910A-AS/SB13


1/4-5/16-11/32-3/8-7/16
1/2-9/16-19/32-5/8-11/16
3/4-13/16-7/8

1 009100295



910AS

bi-hex hand sockets



"	Ø mm	L mm	Ø1 mm	1	2
1/4	9,5	28	16,7	5	009100201
5/16	12,1	28	16,7	5	009100202
11/32	13,2	28	16,7	5	009100203
3/8	14,6	29	16,7	5	009100204
7/16	15,8	29	16,7	5	009100205
1/2	18,4	31	17,0	5	009100206
9/16	19,7	32	17,5	5	009100207
19/32	20,9	32	18,0	5	009100208
5/8	22,2	33	18,5	5	009100209
11/16	24,7	34	20,0	5	009100210
3/4	25,8	35	21,0	5	009100211
13/16	28,2	36	23,0	5	009100212
7/8	29,7	37	24,0	5	009100213



910AS/SB13		1	2
1/4-5/16-11/32-3/8-7/16		5	009100215
1/2-9/16-19/32-5/8-11/16			
3/4-13/16-7/8			

910AS/L

bi-hex hand sockets, long series



"	Ø mm	L mm	Ø1 mm	1	2
1/4	10	55	17	3	009100350
5/16	12	55	17	3	009100351
3/8	14	55	17	3	009100352
7/16	16	55	17	3	009100353
1/2	18	55	17	3	009100354
9/16	20	55	18	3	009100355
19/32	21	55	20	3	009100356
5/8	22	55	20	3	009100357
11/16	23	55	22	3	009100359
3/4	25	55	24	3	009100360
13/16	27	65	26	3	009100362
7/8	29	65	28	3	009100363



910ASL/SB12		1	2
1/4-5/16-3/8-7/16		3	009100365
1/2-9/16-19/32-5/8-11/16			
3/4-13/16-7/8			

910AS/SN

swivel end bi-hex hand sockets




* SAE AS 954E

"	Ø mm	L mm	Ø1 mm	1	2
* 3/8	14,0	48,0	19	2	009100260
* 7/16	15,8	51,0	19	2	009100261
* 1/2	18,3	51,0	19	2	009100262
* 9/16	19,5	51,0	19	2	009100263
* 5/8	22,0	53,5	19	2	009100264
11/16	24,5	54,5	19	2	009100265
3/4	25,8	56,5	19	2	009100266

910FTX

hand sockets for Torx® head screws



"	Ø mm	L mm	Ø1 mm	1	2
E4	6,2	26	17,3	5	009100404
E5	7,0	26	17,3	5	009100405
E6	8,3	26	17,3	5	009100406
E7	8,9	26	17,3	5	009100407
E8	9,9	26	17,3	5	009100408
E10	12,0	26	17,3	5	009100410
E12	14,5	26	17,3	5	009100412
E14	15,8	26	17,3	5	009100414
E16	18,0	26	17,3	5	009100416



910FTX/SB9		1	2
E4-E5-E6-E7-E8		5	009100430
E10-E12-14-E16			

910FTX/L

hand sockets for Torx® head screws, long series




"	Ø mm	L mm	Ø1 mm	1	2
E4	6,2	55	17,3	3	009100440
E5	7,0	55	17,3	3	009100441
E6	8,3	55	17,3	3	009100442
E7	8,9	55	17,3	3	009100443
E8	9,9	55	17,3	3	009100444
E10	12,0	55	17,3	3	009100445



910FTX-L/SB6		1	2
E4-E5-E6		3	009100449
E7-E8-E10			

910LP

socket drivers for slotted head screws



SxA mm	Ø mm	L mm	L1 mm	1	2
1x5,5	18,5	54	24	2	009100452
1,2x6,5	18,5	54	24	2	009100453
1,2x8	18,5	54	24	2	009100454
1,6x9	18,5	54	24	2	009100456

910PH

socket drivers for cross head Phillips® screws




PH	Ø mm	L mm	L1 mm	1	2
1	18,5	48	18	2	009100471
2	18,5	48	18	2	009100472
3	18,5	48	18	2	009100473
4	18,5	48	18	2	009100474



910PH/SB4		1	2
PH1-PH2-PH3-PH4		2	009100478

910PE

socket drivers for hexagon screws



DIN 7422


mm	Ø mm	L mm	L1 mm	1	2
3	18,5	50	20	5	009100490
4	18,5	50	20	5	009100492
5	18,5	50	20	5	009100494
6	18,5	50	20	5	009100496
7	18,5	50	20	5	009100497
8	18,5	50	20	5	009100498
10	18,5	50	20	5	009100500



910PE/SB7		1	2
3-4-5-6-7-8-10 mm		5	009100503

910BP

ball head socket drivers
for hexagon screws




mm	L mm	L1 mm		
4L	92	62	3	009100584
5L	92	62	3	009100585
6L	92	62	3	009100586
7L	92	62	3	009100587
8L	92	62	3	009100588
10L	132	102	3	009100590



910BP/SB6L
4L-5L-6L-7L-8L-10L mm

910ME

socket drivers for hexagon screws



mm	Ø mm	L mm	L1 mm		
4	18	62	15	5	009100504
5	18	62	15	5	009100505
6	18	62	15	5	009100506
7	18	62	15	5	009100507
8	19	62	15	5	009100508
10	20	62	15	5	009100510
12	20	62	15	5	009100512



910ME/SB5
4-5-6-8-10 mm

910PT

socket drivers for 5-star head screws



PT	Ø mm	L mm	L1 mm		
PT40	20	50	20	3	009100540
PT45	20	50	20	3	009100545
PT50	20	50	20	3	009100550

14"




38"

910PT/SB8
PT10-PT15-PT20-PT25
PT30-PT40-PT45-PT50

910TX

socket drivers for Torx® head screws



TX	Ø mm	L mm	L1 mm		
T15	18,5	50	20	5	009100519
T20	18,5	50	20	5	009100520
T25	18,5	50	20	5	009100521
T27	18,5	50	20	5	009100522
T30	18,5	50	20	5	009100523
T40	18,5	50	20	5	009100524



910TX/SB6
T15-T20-T25
T27-T30-T40

910CF

3/8" square drive crowfoot wrenches



CF	A mm	L mm		
10	21,3	32,3	2	009100135
11	23,1	34,3	2	009100136
12	25,5	36,2	2	009100137
13	26,9	37,4	2	009100138
14	30,2	40,0	2	009100139
15	33,3	41,3	2	009100140
16	33,3	41,3	2	009100141
17	38,1	46,5	2	009100142
18	38,1	46,5	2	009100143
19	39,6	48,0	2	009100144



910CF/SB10
10-11-12-13-14-15
16-17-18-19 mm

910/15

adaptor, 3/8" female
and 1/4" male drivers



UNI/ISO 3316 DIN 3123

L mm	Ø mm	3/8"	1/4"		
30	17,0			5	009100810



Always apply torque loads evenly
and progressively to avoid breakage
and any possible injury.

910/16

adaptor, 3/8" female
and 1/2" male drives




UNI/ISO 3316 DIN 3123

L mm	Ø mm	3/8"	1/2"		
32	18,0			5	009100814

910/20 - 910/21 - 910/22

3/8" drive extension bars



UNI/ISO 3316 DIN 3123


	L mm	Ø mm		
910/20	75	17	5	009100820
910/21	125	17	5	009100822
910/22	250	17	5	009100826

Beta

910AN

3/8" wobble extension bars


3/8"



910AN/75



910AN/125



910AN/250



	L mm	Ø mm	
910AN/75	75	17	3 009100827
910AN/125	125	17	3 009100828
910AN/250	250	17	3 009100829

910/25

3/8" drive universal joint

3/8"



UNI/ISO 3316 DIN 3123

L mm	Ø mm	
54,6	19	5 009100830

910M/35

3/8" swivel drive with metal handle

3/8"



UNI/ISO 3315 DIN 3122

L mm	
250	3 009100839

910/36A

3/8" drive swivel handle

3/8"



UNI/ISO 3315 DIN 3122

L mm	L1 mm	
255	154	3 009100845

910/40

3/8" drive swivel T-handle

3/8"




L mm	L1 mm	
420	175	3 009100850

910/42

3/8" drive sliding T-handle

3/8"



UNI/ISO 3315 DIN 3122

L mm	A mm	
210	30,5	5 009100854

910/46

3/8" square drive with speed brace

3/8"



UNI/ISO 3315 DIN 3122


L mm	L1 mm	A mm	
315	80	115	1 009100862

910/55

3/8" drive reversible ratchet 72 teeth

72

3/8"



UNI/ISO 3315 DIN 3122


L mm	Ø mm	A mm	
200	30	33	3 009100882

910/55Q

3/8" drive reversible ratchet 48 teeth

48

3/8"




UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm	
200	30	33	3 009100885

910M/55

3/8" drive reversible ratchet with metal handle

3/8"




DIN 3122 - UNI ISO 3315

L mm	Ø mm	A mm	
178	30	26	2 009100875

910M/56

3/8" drive reversible swivel ratchet with metal handle

3/8"



L mm	Ø mm	A mm	
265	31	29	2 009100887

910/58

3/8" drive reversible ratchet with rotating handle, 52 tooth mechanism

3/8"



L mm	Ø mm	A mm	
222	37	38,5	1 009100884

910.../C10

10 sockets and 2 accessories

3/8"








910A/C10	
	1 009100909

910A	6 - 7 - 8 - 10 - 11 - 12 13 - 14 - 17 - 19 mm
910/21	125 mm
910/55	

270x120x45 mm - 1,3 kg

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

910B/C10 1 009100910

-  **910B** 6 - 7 - 8 - 10 - 11 - 12
13 - 14 - 17 - 19 mm
-  **910/21** 125 mm
-  **910/55**
-  270x120x45 mm -  1,3 kg









910A/C16...

16 hexagon sockets and 5 accessories









38"



910A/C16 1 009100936

-  **910A** 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13
14 - 15 - 16 - 17 - 18 - 19
21 - 22 mm
-  **910/21** 125 mm
-  **910/22** 250 mm
-  **910/25**
-  **910/42**
-  **910/55**
-  335x145x60 mm -  2,3 kg

910A/C16Q 1 009100932

-  **910A** 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13
14 - 15 - 16 - 17 - 18 - 19
21 - 22 mm
-  **910/21** 125 mm
-  **910/22** 250 mm
-  **910/25**
-  **910/42**
-  **910/55Q**
-  335x145x60 mm -  2,3 kg






910B/C16...

16 bi-hex sockets and 5 accessories









38"



910B/C16 1 009100937

-  **910B** 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13
14 - 15 - 16 - 17 - 18 - 19
21 - 22 mm
-  **910/21** 125 mm
-  **910/22** 250 mm
-  **910/25**
-  **910/42**
-  **910/55**
-  335x145x60 mm -  2,3 kg

910B/C16Q 1 009100933

-  **910B** 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13
14 - 15 - 16 - 17 - 18 - 19
21 - 22 mm
-  **910/21** 125 mm
-  **910/22** 250 mm
-  **910/25**
-  **910/42**
-  **910/55Q**
-  335x145x60 mm -  2,3 kg












910A/C17

17 hexagon sockets and 9 accessories

38"



910A/C17 1 009100938

-  **910A** 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13
14 - 15 - 16 - 17 - 18 - 19 - 20
21 - 22 mm
-  **910/15** □ 3/8 - ■ 1/4
-  **910/16** □ 3/8 - ■ 1/2
-  **910/21** 125 mm
-  **910/22** 250 mm
-  **910/25**
-  **910/36A**
-  **910/42**
-  **910/46**
-  **910/55**
-  420x280x60 mm -  4,0 kg












910.../C29

17 sockets, 12 socket drivers and 5 accessories












38"



910A/C29 1 009100944

-  **910A** 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13
14 - 15 - 16 - 17 - 18 - 19 - 20
21 - 22 mm
-  **910LP** 1x5,5 - 1,2x6,5 - 1,2x8 mm
-  **910PH** PH1 - PH2 - PH3
-  **910PE** 3 - 4 - 5 - 6 - 8 - 10 mm
-  **910/21** 125 mm
-  **910/22** 250 mm
-  **910/25**
-  **910/42**
-  **910/55**
-  420x185x60 mm -  3,5 kg

910B/C29 1 009100945

-  **910B** 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13
14 - 15 - 16 - 17 - 18 - 19 - 20
21 - 22 mm
-  **910LP** 1x5,5 - 1,2x6,5 - 1,2x8 mm
-  **910PH** PH1 - PH2 - PH3
-  **910PE** 3 - 4 - 5 - 6 - 8 - 10 mm
-  **910/21** 125 mm
-  **910/22** 250 mm
-  **910/25**
-  **910/42**
-  **910/55**
-  420x185x60 mm -  3,5 kg









910AS/C13...

13 bi-hex sockets and 5 accessories

38"



910AS/C13 1 009100925

-  **910AS** 1/4 - 5/16 - 11/32 - 3/8 - 7/16
1/2 - 9/16 - 19/32 - 5/8 - 11/16
3/4 - 13/16 - 7/8
-  **910/21** 125 mm
-  **910/22** 250 mm
-  **910/42**
-  **910/25**
-  **910/55**
-  335x145x60 mm -  2,3 kg



910AS/MBM-C18

13 bi-hex sockets and 5 accessories
for aeronautical maintenance

38"



910AS/MBM-C18

1 009100926

	910AS	1/4 - 5/16 - 11/32 - 3/8 - 7/16 1/2 - 9/16 - 19/32 - 5/8 - 11/16 3/4 - 13/16 - 7/8
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	
	910M/55	
	335x145x60 mm	- 2,5 kg

910A/C16HR

16 hexagon sockets and 5 accessories

38"



910A/C16HR

1 009100935

	910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	
	910/58	
	335x145x60 mm	- 2,4 kg

920A

hexagon hand sockets

12"



UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
8	12,4	38	21,7	10	009200008
9	13,5	38	21,7	10	009200009
10	14,9	38	21,7	10	009200010
11	16,1	38	21,7	10	009200011
12	17,5	38	21,7	10	009200012
13	18,7	38	21,7	10	009200013
14	20,1	38	21,7	10	009200014
15	21,5	38	22,5	10	009200015
16	22,7	38	23,7	10	009200016
17	24,1	38	23,1	10	009200017
18	25,3	39	24,0	10	009200018
19	26,6	39	24,0	10	009200019
20	27,8	40	25,0	5	009200020
21	28,8	40	25,0	5	009200021
22	29,9	41	26,0	5	009200022
23	30,8	42	26,0	5	009200023
24	32,2	43	27,0	5	009200024
25	33,2	44	27,0	5	009200025
26	34,7	45	28,0	5	009200026
27	36,2	46	29,0	5	009200027
28	37,2	47	30,0	5	009200028
29	38,6	48	31,0	5	009200029
30	40,2	48	32,0	5	009200030
32	42,3	49	34,0	5	009200032

12"



920A/SB13

10-11-12-13-14-15-16
17-18-19-20-21-22 mm

1 009200040

12"



920A/SB8

23-24-25-26-27-28-30-32 mm

1 009200042

920B

bi-hex hand sockets

12"



UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
8	12,4	38	21,7	10	009200108
9	13,5	38	21,7	10	009200109
10	14,9	38	21,7	10	009200110
11	16,1	38	21,7	10	009200111
12	17,5	38	21,7	10	009200112
13	18,7	38	21,7	10	009200113
14	20,1	38	21,7	10	009200114
15	21,5	38	22,5	10	009200115
16	22,7	38	23,7	10	009200116
17	24,1	38	23,1	10	009200117

mm	Ø mm	L mm	Ø1 mm		
18	25,3	39	24,0	10	009200118
19	26,6	39	24,0	10	009200119
20	27,8	40	25,0	5	009200120
21	28,8	40	25,0	5	009200121
22	29,9	41	26,0	5	009200122
23	30,8	42	26,0	5	009200123
24	32,2	43	27,0	5	009200124
25	33,2	44	27,0	5	009200125
26	34,7	45	28,0	5	009200126
27	36,2	46	29,0	5	009200127
28	37,2	47	30,0	5	009200128
29	38,6	48	31,0	5	009200129
30	40,2	48	32,0	5	009200130
32	42,3	49	33,9	5	009200132

12"



920B/SB13

10-11-12-13-14-15-16
17-18-19-20-21-22 mm

1 009200140

12"



920B/SB8

23-24-25-26-27
28-30-32 mm

1 009200142

920AL

hexagon hand sockets,
long series

12"



UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
10	14,7	77	21	5	009200626
12	17,8	77	21	5	009200627
13	19,0	77	22	5	009200628
14	20,3	77	22	5	009200629
15	21,5	77	22	5	009200630
16	22,8	77	22	5	009200631
17	24,0	77	23	5	009200632
18	25,0	77	24	5	009200633
19	26,5	77	25	5	009200634
21	29,0	77	27	5	009200635
22	30,0	77	28	5	009200636
23	31,5	77	29	5	009200637
24	32,8	77	30	5	009200638
27	36,5	77	33	3	009200639
30	40,0	77	36	3	009200640
32	42,8	77	38	3	009200641
36	48,0	77	41	3	009200642

12"



920AL/SB11

10-12-13-14-15-16
17-18-19-21-22 mm


1 009200644

Beta

Beta

920BL

bi-hex hand sockets, long series



UNI/ISO 2725 DIN 3124

mm	Ø	L	Ø1		
10	14,7	77	21	5	009200310
12	17,8	77	21	5	009200312
13	19,0	77	22	5	009200313
14	20,3	77	22	5	009200314
15	21,5	77	22	5	009200315
16	22,8	77	22	5	009200316
17	24,0	77	23	5	009200317
18	25,0	77	24	5	009200318
19	26,5	77	25	5	009200319
21	29,0	77	27	5	009200321
22	30,0	77	28	5	009200322
23	31,5	77	29	5	009200323
24	32,8	77	30	5	009200324
27	36,5	77	33	3	009200327
30	40,0	77	36	3	009200330
32	42,8	77	38	3	009200332
36	48,0	77	41	3	009200336




920BL/SB11
10-12-13-14-15-16-17-18
19-21-22 mm

1 009200338

920A/AS

hexagon hand sockets



mm	Ø	L	Ø1		
3/8	14,6	37	21	2	009200270
7/16	16,5	37	21	3	009200272
1/2	19,0	37	22	3	009200273
9/16	20,3	37	22	3	009200274
19/32	21,0	37	22	3	009200275
5/8	22,8	37	22	3	009200276
11/16	25,0	37	24	3	009200277
3/4	26,5	38	25	3	009200279
25/32	28,0	38	26	3	009200280
13/16	29,0	38	27	3	009200281
7/8	30,0	40	28	3	009200282
15/16	32,8	42	30	3	009200284
1	35,0	42	32	3	009200285
1.1/16	36,5	43	33	2	009200287
1.1/8	39,0	43	35	2	009200289
1.3/16	41,0	46	36	2	009200290
1.1/4	42,8	46	38	2	009200292




920A-AS/SB11
3/8-7/16-1/2-9/16-5/8
11/16-3/4-13/16-7/8
15/16-1

1 009200295

920AS

bi-hex hand sockets



mm	Ø	L	Ø1		
3/8	14,9	38	21,7	3	009200201
7/16	16,1	38	21,7	3	009200202
1/2	18,7	38	21,7	3	009200203
9/16	20,1	38	21,7	3	009200204
5/8	22,7	38	22,5	3	009200206
19/32	21,5	38	23,7	3	009200207
11/16	25,3	39	24,0	3	009200208
3/4	26,6	39	24,0	3	009200209
25/32	27,8	40	25,0	3	009200210
13/16	28,8	40	25,0	3	009200211
7/8	29,9	41	26,0	3	009200212
15/16	32,2	43	27,0	3	009200214
1	34,2	45	28,0	3	009200216
1.1/16	36,2	46	29,0	2	009200217
1.1/8	38,6	48	31,0	2	009200218
1.3/16	40,2	48	32,0	2	009200219
1.1/4	42,3	49	33,5	2	009200220



920AS/SB11
3/8-7/16-1/2-9/16-5/8
11/16-3/4-13/16-7/8
15/16-1

1 009200225

920AS/L

bi-hex hand sockets, long series



mm	Ø	L	Ø1		
1/2	19,0	77	22	2	009200352
9/16	20,3	77	22	2	009200353
5/8	22,8	77	22	2	009200355
11/16	25,0	77	24	2	009200357
3/4	26,5	77	25	2	009200358
13/16	29,0	77	27	2	009200360
7/8	30,0	77	28	2	009200361
15/16	32,8	77	30	2	009200362
1	35,0	77	32	2	009200363
1.1/16	36,5	77	33,0	2	009200364
1.1/8	37,8	77	34	2	009200365




920ASL/SB11
1/2-9/16-5/8-11/16
3/4-13/16-7/8-15/16
1-1.1/8-1.1/16

1 009200369

920FTX

hand sockets for Torx® head screws



mm	Ø	L	Ø1		
E10	13,2	36	21	5	009200380
E12	15,0	37	21	5	009200381
E14	16,3	37	21	5	009200382
E16	18,8	37	22	5	009200383
E18	20,4	37	22	5	009200384
E20	22,9	37	22	5	009200385
E22	25,0	37	24	3	009200387
E24	26,5	40	25	3	009200388



920FTX/SB6
E10-E12-E14
E16-E18-E20

1 009200390



920FTX/C8
E10-E12-E14-E16
E18-E20-E22-E24

1 009200391

270X120X45 mm - 1 kg

920FTX/L

hand sockets for Torx® head screws, long series



mm	Ø	L	Ø1		
E10	13,2	77	21,0	5	009200400
E12	15,0	77	21,0	5	009200401
E14	16,3	77	21,0	5	009200402
E16	18,8	77	21,8	3	009200403
E18	20,4	77	21,8	3	009200404
E20	22,9	77	22,0	3	009200405




920FTX-LSB6
E10-E12-E14
E16-E18-E20

1 009200409

920LP

socket drivers for slotted head screws



SxA	Ø	L	L1		
mm	mm	mm	mm		
1x5,5	22,5	62	24	3	009200452
1,2x6,5	22,5	62	24	3	009200453
1,2x8	22,5	62	24	3	009200454
1,6x9	22,5	62	24	3	009200456
2x12	22,5	62	24	3	009200458

920PH

socket drivers for cross head Phillips® screws



PH	Ø	L	L1		
mm	mm	mm	mm		
1	22,5	56	18	3	009200471
2	22,5	56	18	3	009200472
3	22,5	56	18	3	009200473
4	22,5	56	18	3	009200474



920PH/SB4
PH1-PH2-PH3-PH4 1 009200479

920LH/SB7

socket drivers for cross head Phillips® screws




920LH/SB7 1 009200478

920LP	1,2x6,5 - 1,2x8
920PH	PH2 - PH3 - PH4

920PE

socket drivers for hexagon screws



DIN 7422

mm	Ø	L	L1		
mm	mm	mm	mm		
3	22,5	58	20	5	009200410
4	22,5	58	20	5	009200412
5	22,5	58	20	5	009200414
5L	22,5	100	62	5	009200415
6	22,5	58	20	5	009200417
6L	22,5	100	62	5	009200418
7	22,5	58	20	5	009200420
7L	22,5	100	62	5	009200421
8	22,5	58	20	5	009200423
8L	22,5	100	62	5	009200424
9	22,5	58	20	5	009200425
9L	22,5	140	102	5	009200426
10	22,5	58	20	5	009200428
10L	22,5	140	102	5	009200429
12	23,0	58	20	5	009200432
12L	22,5	140	102	5	009200433
14	23,0	58	20	5	009200434
14L	22,5	140	102	5	009200435
17	29,5	60	22	5	009200437
19	29,5	60	22	5	009200439




920PE/SB9
4-5-6-8-10 mm 1 009200441
5L-6L-8L-10L mm



920PE/C10
4-5-6-7-8-10 1 009200443
12-14-17-19 mm
270X120X45 mm - 1,5 kg

920PE/AS

socket drivers for hexagon screws




"	Ø	L	L1		
mm	mm	mm	mm		
1/8	22,5	58	20	2	009200460
3/16	22,5	58	20	2	009200461
1/4	22,5	58	20	2	009200463
3/8	22,5	58	20	2	009200464
1/2	22,5	60	20	2	009200465
3/4	22,5	60	20	1	009200468




920PE-AS/SB6
1/8-3/16-1/4-3/8-1/2-3/4 1 009200469

920BP

ball head socket drivers for hexagon screws



mm	Ø	L	L1		
mm	mm	mm	mm		
5L	22,5	100	62	5	009200490
5XL	22,5	240	202	1	009200495
6L	22,5	100	62	5	009200491
6XL	22,5	240	202	1	009200496
7L	22,5	100	62	5	009200492
8L	22,5	100	62	5	009200493
8XL	22,5	240	202	1	009200497
10L	22,5	140	102	5	009200494




920BP/SB8
5L-6L-7L-8L-10L mm 1 009200500
5XL-6XL-8XL mm

Beta

920ME

socket drivers for hexagon screws



mm	Ø mm	L mm	L1 mm		
5	21	75	15,5	5	009200505
6	21	75	15,5	5	009200506
7	21	75	15,5	5	009200507
8	21	75	15,5	5	009200508
10	23	75	15,5	5	009200510
12	24	75	15,5	5	009200512
14	24	75	15,5	5	009200514
17	24	75	15,5	5	009200517



920ME/SB7
5-6-8-10-12-14-17 mm 1 009200519



920ME/C7
5-6-8-10-12-14-17 mm 1 009200518
250X100X35 mm - 1,4 kg

920TX

socket drivers for Torx® head screws



Ø	Ø mm	L mm	L1 mm		
T20	22,5	58	20	5	009200520
T20L	22,5	120	82	3	009200530
T25	22,5	58	20	5	009200521
T25L	22,5	120	82	3	009200531
T27	22,5	58	20	5	009200522
T27L	22,5	120	82	3	009200533
T30	22,5	58	20	5	009200523
T30L	22,5	120	82	3	009200534
T40	22,5	58	20	5	009200524
T40L	22,5	120	82	3	009200535
T45	22,5	58	20	5	009200525
T45L	22,5	120	82	3	009200537
T50	22,5	58	20	5	009200526
T50L	23,0	140	102	3	009200538
T55	23,0	58	20	3	009200527
T55L	23,0	140	102	3	009200539
T60	23,0	58	20	3	009200528
T60L	23,0	140	102	3	009200540
T70L	23,0	120	82	3	009200541



920TX/SB9
T20-T25-T27-T30
T40-T45-T50-T55-T60 1 009200532



920TX-L/SB10
T20L-T25L-T27L-T30L-T40L-
T45L-T50L-T55L-T60L-T70L 1 009200545



920TX/C9
T20-T25-T27-T30-T40
T45-T50-T55-T60 1 009200546
270X120X45 mm - 1,2 kg

920RTX

socket drivers
for Tamper Resistant Torx® head screws




Ø	Ø mm	L mm	L1 mm		
T20	22,5	58	20	5	009200370
T25	22,5	58	20	5	009200371
T27	22,5	58	20	5	009200372
T30	22,5	58	20	5	009200373
T40	22,5	58	20	5	009200374



920RTX/SB5
T20-T25-T27-T30-T40 1 009200378

920XZN

socket drivers with XZN® profile



DIN 2324

Ø	Ø mm	L mm	L1 mm		
M4	22,5	58	20	3	009200559
M5	22,5	58	20	3	009200560
M6	22,5	58	20	3	009200561
M6L	22,5	100	62	3	009200562
M8	22,5	58	20	3	009200563
M8L	22,5	100	62	3	009200564
M9	22,5	58	20	3	009200582
M9L	22,5	100	62	3	009200583
M10	22,5	58	20	3	009200565
M10L	22,5	100	62	3	009200566
M12	22,5	58	20	3	009200568
M12L	22,5	100	62	3	009200569

Ø	Ø mm	L mm	L1 mm		
M14	23,0	58	20	3	009200571
M14L	23,0	100	62	3	009200572
M16	23,0	58	20	3	009200573
M18	23,0	58	20	3	009200574



920XZN/SB7
M4-M5-M6-M8
M10-M12-M14 1 009200579



920XZN/SB12
M5-M6-M8-M10-M12
M14-M16-M6L-M8L
M10L-M12L-M14L 1 009200577



920XZN-L/S5
M6L-M8L-M10L
M12L-M14L 1 009200578

920ES

special form socket drivers



UNI 9326

Ø	Ø mm	L mm	L1 mm		
7	(6R)	58	20	5	009200587
7XL	(6R)	240	202	1	009200607
9	(8R)	58	20	5	009200589
9XL	(8R)	240	202	1	009200609
10	(8S)	58	20	5	009200590
10XL	(8S)	240	202	1	009200610
11	(10R)	58	20	5	009200591
11XL	(10R)	240	202	1	009200611
12L	(10S)	100	62	3	009200592
12XL	(10S)	240	202	1	009200612
14L	(12S)	100	62	3	009200594
14XL	(12S)	240	202	1	009200614
16L	(14R)	100	62	3	009200596
16XL	(14R)	240	202	1	009200616



920ES/SB7
7-9-10-11-12L-14L-16L 1 009200598



920ES-XL/SB7
7XL-9XL-10XL-11XL
12XL-14XL-16XL 1 009200618

920/15

adaptor, 1/2" female and 3/8" male drives



UNI/ISO 3316 DIN 3123

L	□	■	Ø		
mm	1/2	3/8	mm	5	009200810
42			22,0		



Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

920/16

adaptor, 1/2" female and 3/4" male drives




UNI/ISO 3316 DIN 3123

L	□	■	Ø		
mm	1/2	3/4	mm	5	009200814
46			26		

920/20÷920/23

1/2" drive extension bars




UNI/ISO 3316 DIN 3123

	L	Ø		
	mm	mm		
920/20	75	22	5	009200818
920/21	125	22	5	009200822
920/22	255	22	5	009200826
920/23	375	22	2	009200827

920AN

1/2" wobble extension bars



	L	Ø		
	mm	mm		
920AN/50	50	22	5	009200833
920AN/125	125	22	5	009200834
920AN/250	250	22	3	009200835
920AN/375	375	22	3	009200836

920/25

1/2" drive universal joint



UNI/ISO 3316 DIN 3123

L	Ø			
mm	mm	5	009200830	
75	27			

920/35A

1/2" drive swivel handle



UNI/ISO 3315 DIN 3122

L	L1			
mm	mm	3	009200846	
285	160			

920M/35

1/2" swivel drive with metal handle



UNI/ISO 3315 DIN 3122

L				
mm		2	009200845	
380				

920M/35L

1/2" swivel drive with metal handle, long series



L				
mm		1	009200843	
600				



Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

920/36A

1/2" drive swivel handle



UNI/ISO 3315 DIN 3122

L	L1			
mm	mm	2	009200847	
408	283			

920/38

1/2" extension drive swivel handle



L	L max			
mm	mm	1	009200839	
262	402			

920/40


1/2" drive swivel T-handle



L	L1			
mm	mm	2	009200850	
490	230			

920/42

1/2" drive sliding T handle



UNI/ISO 3315 DIN 3122

L	A			
mm	mm	5	009200854	
305	42			

920/44

1/2" drive offset handle




UNI/ISO 3315 DIN 3122

L	L1			
mm	mm	3	009200858	
230	60			

920/46

1/2" drive with speed brace




UNI/ISO 3315 DIN 3122

L	L1	A		
mm	mm	mm	1	009200862
385	110	160		

920/50

1/2" push-through drive ratchet,
72 teeth




UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
275	40	42	3 009200871

920/50F

1/2" female square drive ratchet,
72 teeth



UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
275	40	27	2 009200889

920/55

1/2" drive reversible ratchet,
72 teeth



UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
275	40	43	3 009200882

920/55Q

1/2" drive reversible ratchet, 48 teeth



UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
275	40	43	3 009200885

920/55X

1/2" drive reversible ratchet, 72 teeth




UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
200	30	33	3 009200895

920/55LC

1/2" drive reversible ratchet
"Locking System", 72 teeth



UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
275	40	43	2 009200896

920/55L

extension reversible ratchet,
1/2" male drive,
72 tooth mechanism



L	L max	Ø	A	
mm	mm	mm	mm	
282	422	40	43	1 009200927

920M/55

1/2" drive reversible ratchet
with metal handle



L	Ø	A	
mm	mm	mm	
253	38	35	1 009200893

920/56A

1/2" drive swivel reversible ratchet,
72 teeth



L	Ø	A	
mm	mm	mm	
315	40	43	1 009200911

920M/56

1/2" drive reversible swivel ratchet
with metal handle




L	Ø	A	
mm	mm	mm	
330	38	35,7	2 009200894

920/58

1/2" drive reversible ratchet
with rotating handle,
52 tooth mechanism

- Socket release button
- Ring nut reversal system on ratchet head
- Bi-material handle



L	Ø	A	
mm	mm	mm	
281	42,5	45	1 009200926

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

920.../C11

11 sockets and 2 accessories

12"



920A/C11

1 009200921

○ 920A	10 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm
920/22	255 mm
920/50	
	335x145x60 mm - 2,5 kg

920B/C11

1 009200922

○ 920B	10 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm
920/22	255 mm
920/50	
	335x145x60 mm - 2,5 kg

920.../C12...

12 sockets and 5 accessories

12"



920A/C12X

1 009200933

○ 920A	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	
	420x185x60 mm - 4,2 kg

920A/C12

1 009200931

○ 920A	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	
	420x185x60 mm - 4,2 kg

920B/C12X

1 009200934

○ 920B	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	
	420x185x60 mm - 4,0 kg

920B/C12

1 009200932

○ 920B	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	
	420x185x60 mm - 4,0 kg

920.../C20...

20 sockets and 5 accessories

12"



920A/C20X

1 009200950

○ 920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	
	420x185x60 mm - 5,1 kg

920A/C20

1 009200948

○ 920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	
	420x185x60 mm - 5,1 kg

920A/C20Q

1 009200955

○ 920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55Q	
	420x185x60 mm - 5,1 kg

920B/C20

1 009200949

○ 920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	
	420x185x60 mm - 5,0 kg

920B/C20X

1 009200951

○ 920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	
	420x185x60 mm - 5,0 kg

920.../C21...

21 sockets and 6 accessories

12"










920A/C21

1 009200952

○ 920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/46	
920/50	
	420x280x60 mm - 6,5 kg

920A/C21X








1 009200983

	○ 920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/46	
	920/55	

420x280x60 mm - 6,4 kg

920B/C21








1 009200953

	○ 920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/46	
	920/50	

420x280x60 mm - 6,4 kg

920B/C21X

1 009200984

	○ 920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/46	
	920/55	

420x280x60 mm - 6,4 kg

920B/C30Q

30 bi-hex sockets and 5 accessories

12"

**920B/C30Q**

1 009200975

	○ 920B	8 - 9 - 10 - 11 - 12 - 13 - 14 15 - 16 - 17 - 18 - 19 - 20 - 21 22 - 23 - 24 - 26 - 27 - 30 mm
	○ 920BL	12 - 13 - 14 - 17 - 19 - 21 22 - 24 - 27 - 30 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55Q	

420x280x60 mm - 7,6 kg










920.../C33

20 sockets, 13 socket drivers and 5 accessories

12"

**920A/C33**

1 009200985

	○ 920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
	● 920LP	1,2x8 - 1,6x9 - 2x12 mm
	⊕ 920PH	PH2 - PH3 - PH4
	○ 920PE	4 - 5 - 6 - 8 - 10 - 12 - 14 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	

420x280x60 mm - 6,7 kg

920B/C33

1 009200986

	○ 920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
	● 920LP	1,2x8 - 1,6x9 - 2x12 mm
	⊕ 920PH	PH2 - PH3 - PH4
	○ 920PE	4 - 5 - 6 - 8 - 10 - 12 - 14 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	

420x280x60 mm - 6,7 kg

920/C37

37 bi-hex sockets and 5 accessories

12"

**920/C37**

1 009200988

	○ 920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 23 24 - 26 - 27 - 28 - 30 - 32 mm
	○ 920AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 5/8 - 11/16 - 3/4 - 25/32 - 13/16 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 1.3/16 - 1.1/4
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	

420x280x60 mm - 7,5 kg




920AS/C10

10 bi-hex sockets and 2 accessories

12"



920AS/C10 1 009200919

	○ 920AS	3/8 - 7/16 - 1/2 - 9/16 - 5/8 11/16 - 3/4 - 13/16 - 7/8 - 15/16
	920/22	255 mm
	920/50	
335x145x60 mm - 2,6 kg		

920AS/C15

15 bi-hex sockets and 6 accessories

12"



920AS/C15 1 009200947

	○ 920AS	3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 3/4 - 13/16 - 7/8 - 15/16 - 1 1.1/16 - 1.1/8 - 1.3/16 - 1.1/4
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/46	
	920/50	
420x280x60 mm - 5,9 kg		

920AS/C17X

17 bi-hex sockets and 5 accessories

12"



920AS/C17X 1 009200942

	○ 920AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 - 5/8 11/16 - 3/4 - 25/32 - 13/16 - 7/8 15/16 - 1 - 1.1/16 - 1.1/8 - 1.3/16 - 1.1/4
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	
420x185x60 mm - 4,8 kg		

920AS/MBM-C21

16 bi-hex sockets and 5 accessories for aeronautical maintenance

12"



920AS/MBM-C21 1 009200944

	○ 920AS	3/8 - 7/16 - 1/2 - 9/16 19/32 - 5/8 - 11/16 - 3/4 25/32 - 13/16 - 7/8 - 15/16 1 - 1.1/16 - 1.3/16 - 1.1/4
	920M/55	
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
420x185x60 mm - 5,0 kg		

920TX/C17

6 bits, 6 sockets, 5 socket drivers and 4 accessories for Torx® head screws

12"



920TX/C17 1 009200989

	861TX	T8 - T10 - T15 - T20 - T25 - T27
	897	
	920TX	T27 - T30 - T40 - T45 - T50
	920FTX	E10 - E12 - E14 - E16 - E18 - E20
	920/20	75 mm
	920/22	255 mm
	920/55	
420x185x60 mm - 2,9 kg		

920A/C17HR

17 hexagon sockets and 5 accessories in hard foam tray, in metal case

• ratchet with rotating handle

12"




920A/C17HR 1 009200939

	920A	10-11-12-13-14-15-16-17-18-19-20- 21-22-24-27-30-32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/58	
420x185x60 mm - 5,1 kg		

928A

hexagon hand sockets




UNI/ISO 2725
DIN 3124

Ø	Ø	L	Ø1		
mm	mm	mm	mm		
19	29,2	50	34	5	009280019
21	30,0	51	34	5	009280021
22	31,3	53	34	5	009280022
23	33,3	53	34	5	009280023
24	34,5	53	34	5	009280024
26	36,8	55	35	5	009280026
27	38,0	56	35	5	009280027
28	39,0	57	35	3	009280028
29	40,2	58	35	3	009280029
30	41,5	58	37	3	009280030
32	44,3	60	37	3	009280032
33	45,8	60	37	3	009280033
34	46,8	60	37	3	009280034
35	48,1	62	38	3	009280035
36	49,5	64	38	3	009280036
38	52,0	68	40	3	009280038
41	56,0	71	40	3	009280041
46	62,3	75	43	3	009280046
50	67,4	80	43	3	009280050
55	73,7	84	48	1	009280055
60	80,0	87	48	1	009280060

928B

bi-hex hand sockets




UNI/ISO 2725
DIN 3124

Ø	Ø	L	Ø1		
mm	mm	mm	mm		
19	29,2	50	34	5	009280119
21	30,0	51	34	5	009280121
22	31,3	53	34	5	009280122
23	33,3	53	34	5	009280123
24	34,5	53	34	5	009280124
26	36,8	55	35	5	009280126
27	38,0	56	35	5	009280127
28	39,0	57	35	3	009280128
29	40,2	58	35	3	009280129
30	41,5	58	37	3	009280130
32	44,3	60	37	3	009280132
33	45,8	60	37	3	009280133
34	46,8	60	37	3	009280134
35	48,1	62	38	3	009280135
36	49,5	64	38	3	009280136
38	52,0	68	40	3	009280138
41	56,0	71	40	3	009280141
46	62,3	75	43	3	009280146
50	67,4	80	43	3	009280150
55	73,7	84	48	1	009280155
60	80,0	87	48	1	009280160

928AS

hexagon hand sockets



Ø	Ø	L	Ø1		
"	mm	mm	mm		
7/8	32,0	53	34	1	009280202
15/16	34,5	53	34	1	009280203
1	36,2	55	35	1	009280204
1.1/16	38,0	56	35	1	009280205
1.1/8	40,2	58	35	1	009280206
1.1/4	44,2	60	37	1	009280208
1.5/16	45,8	60	37	1	009280209
1.3/8	48,1	62	38	1	009280210
1.7/16	49,5	64	38	1	009280211
1.1/2	52,0	68	40	1	009280212
1.5/8	56,0	71	40	1	009280214
1.11/16	58,8	74	40	1	009280215
1.13/16	62,3	75	43	1	009280217
1.7/8	65,0	78	43	1	009280218
2	68,3	80	43	1	009280219
2.1/16	71,5	83	48	1	009280220

928ME


socket drivers for hexagon screws



mm	Ø	L	L1		
mm	mm	mm	mm		
14	35	75	15,5	2	009280514
17	35	75	15,5	2	009280517
19	35	75	15,5	2	009280519
22	35	75	22,5	2	009280522

928/15

adaptor, 3/4" female and 1/2" male drives



UNI/ISO 3316
DIN 3123

L	Ø				
mm	mm	□	■		
51,5	34	3/4	1/2	5	009280801




Always apply torque loads evenly and progressively to avoid breakage and any possible injury.



928/16

adaptor, 3/4" female and 1" male drives




UNI/ISO 3316
DIN 3123

L	Ø				
mm	mm	□	■		
65	34	3/4	1"	5	009280807

928/20 - 928/21 - 928/22

3/4" drive extension bars



UNI/ISO 3316
DIN 3123

	L	Ø		
	mm	mm		
928/20	100	34	3	009280810
928/21	200	34	3	009280815
928/22	380	34	3	009280825

928/25

3/4" drive universal joint



UNI/ISO 3316 DIN 3123

L	Ø		
mm	mm		
108	40		1 009280830

928/36A

3/4" drive swivel handle



DIN 3122 - UNI ISO 3315

L			
mm			
545			1 009280844

928/42

3/4" drive slide T-handle



UNI/ISO 3315 DIN 3122

L	A		
mm	mm		
450	62,5		3 009280850

928/55

3/4" drive reversible ratchet, 72 teeth



DIN 3122 - UNI ISO 3315

L	Ø	A	
mm	mm	mm	
510	58	59	2 009280862

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

928.../C12

assortment of 12 hexagon hand sockets and 5 accessories in sheet metal case



928A/C12

1 009280955

928A	22 - 24 - 27 - 30 - 32 - 34 - 36 38 - 41 - 46 - 50 - 55 mm
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

928B/C12

1 009280957

928B	22 - 24 - 27 - 30 - 32 - 34 - 36 38 - 41 - 46 - 50 - 55 mm
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

928AS/C12

assortment of 12 hexagon hand sockets and 5 accessories in sheet metal case



928AS/C12


1 009280968

928AS	7/8-15/16-1.1/16-1.1/8-1.1/4 1.5/16-1.7/16-1.1/2-1.11/16 1.13/16-1.7/8-2.1/16
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

929

hexagon hand sockets




UNI/ISO 2725 DIN 3124

Ø	L	Ø1	
mm	mm	mm	
36	51	65	48
41	57	70	48
46	65	75	48
50	70	80	48
55	76	85	54
60	82	90	54
65	88	95	54
70	92	100	60
75	99	110	60
80	106	120	60

929/15

adaptor, 1" female and 3/4" male drives



UNI/ISO 3316 DIN 3123


L	Ø			
mm	mm	1"	3/4"	
65	47			2 009290801



Always apply torque loads evenly
and progressively to avoid breakage
and any possible injury.

929/21 - 929/22

1" drive extension bars




UNI/ISO 3316 DIN 3123

	L	Ø	
	mm	mm	
929/21	200	47	1 009290815
929/22	400	47	1 009290825

929/42

1" drive slide T-handle



UNI/ISO 3315 DIN 3122

L	
mm	
535	1 009290850

929/55

1" reversible ratchet 72 teeth



UNI/ISO 3315 DIN 3122

L	Ø	A	
mm	mm	mm	
770	62	63	1 009290860

929/C8

8 hexagon sockets and 5 accessories



929/C8

1 009290925

929	46 - 50 - 55 - 60 - 65 70 - 75 - 80 mm
929/15	□ 1" - ■ 3/4"
929/21	200 mm
929/22	400 mm
929/42	
929/55	

560x290x12 mm - 29 kg

900/R55

14"
40



900/R55
900/55 1 009000871

900M/R55

14"



900M/R55
900M/55 1 009000888

910/R55

38"
72



910/R55
606/6-606/10-612
666/6-666/10-910/55
599DGT/6 1 009100879

910M/R55

38"



910M/R55
910M/55-910M/56 1 009100888

910/R55Q

38"
40



910/R55Q
910/55Q 1 009100877

910/R55X

38"
40



910/R55X
666N/2X 1 009100897

920/R50

12"
72



920/R50
614/50-667/20-667/30
920/50 1 009200866

920/R55


12"
72



920/R55
606/20-606/30-666/20-666/30
920/55-920/56A- 599DGT/20-599DGT/30 1 009200879

920M/R55

12"



920M/R55
920M/55-920M/56 1 009200888

920/R55Q

12"
40



920/R55Q
920/55Q 1 009200877

920/R55X

12"
72



920/R55X
606/10X-612X
666/10X-920/55X-599DGT/10X 1 009200878

920/R55LC

12"
72



920/R55LC
920/55LC "Locking System" 1 009200887

928/R55

34"
72



928/R55
928/55 1 009280859

928/R55X

34"
72



928/R55X
614X 1 009280858

929/R55


1"
72



929/R55
929/55 1 009290859

930

double ended bi-hex tubular socket wrenches,
heavy series



UNI 6745

mm	L mm	Ø mm	Ø1 mm	
6x7	100	9,5	11,0	3 009300006
8x9	108	12,5	14,0	3 009300010
10x11	116	15,0	16,5	3 009300014
12x13	124	17,5	19,0	3 009300018
14x15	132	20,0	21,5	3 009300023
16x17	140	23,0	24,0	3 009300027
18x19	148	25,0	26,5	3 009300032
20x22	156	28,0	30,0	2 009300036
21x23	163	29,0	31,5	2 009300040
24x26	173	33,0	35,5	2 009300044
25x28	182	34,5	38,0	2 009300048
27x29	191	37,0	39,5	2 009300052
30x32	200	40,5	43,0	2 009300056



930/S8
6x7-8x9-10x11
12x13-14x15-16x17
18x19-20x22 mm
940/1 - /2 1 009300081

930/S13
6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x26
25x28-27x29-30x32 mm
940/1 - /2 - /3 1 009300083