

### 1184BM

diagonal flush cutting nippers,  
rounded tips  
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
120	11	10	1	2	011840101
130	13	12,5	1,25	2	011840102

### 1185BM

diagonal flush cutting nippers,  
slim tips  
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
120	11	10	1	2	011850101
130	13	12,5	1,25	2	011850102

### 1186BM

diagonal flush cutting nippers,  
slim tapering tips  
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
120	11	10	1	2	011860101
130	13	12,5	1,25	2	011860102

### 1188BM

diagonal axial cutting nippers  
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
125	12	12	1,25	2	011880101
130	17	15	2	2	011880102

### 1190BM

end semi-flush cutting nippers  
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
120	12	12	1,25	2	011900113

### 1191BM

end flush oblique cutting nippers  
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
130	8	12	0,8	2	011910101

### 1191BM/L

end flush long oblique cutting nippers  
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
130	18	12	1	2	011910110


### 1191R/5-M

spare spring kit for pliers and nippers for  
electronics, 5 pairs (items: 1171...1191)

1191R/5-M	1	011910995
-----------	---	-----------

### 1200MS

magnetizer/demagnetizer



1200MS	5	012000000
--------	---	-----------

### 1201

screwdrivers for slotted head screws



ISO 2380

SxAxL	L1	Ø		
mm	mm	mm		
0,4x2,5x50	146	2,5	5	012010003
0,4x2,5x75	166	2,5	5	012010006
0,5x3x75	171	3,0	5	012010009
0,5x3x100	196	3,0	5	012010012
0,6x3,5x75	171	3,5	5	012010018
0,6x3,5x100	196	3,5	5	012010021
0,8x4x100	196	4,0	5	012010030
0,8x4x125	221	4,0	5	012010033
0,8x4x150	246	4,0	5	012010036
1,0x5,5x100	209	5,0	5	012010039
1,0x5,5x125	234	5,0	5	012010040

SxAxL mm	L1 mm	Ø mm		
1,0x5,5x150	259	5,0	5	012010042
1,2x6,5x100	220	6,0	5	012010048
1,2x6,5x125	234	6,0	5	012010050
1,2x6,5x150	270	6,0	5	012010051
1,2x8x150	282	8,0	3	012010057
1,2x8x200	332	8,0	3	012010060
1,6x10x200	332	9,5	3	012010066



SxAxL mm	L1 mm	Ø mm		
0,5x3x75-0,6x3,5x100			1	012010206
0,8x4x100-1,0x5,5x100				
1,2x8x150-1,6x10x200 mm				

## 1201N

screwdrivers for slotted head screws, extra-short series




ISO 2380

SxAxL mm	L1 mm	Ø mm		
0,8x4x30	86,5	4	3	012010103
1,2x6,5x30	86,5	6	3	012010106

## 1201DZ

screwdriver for Dzus® head screws



L mm	L1 mm		
1201DZ	53	173	2 012010501

## 1202

screwdrivers for cross head Phillips® screws



UNI/ISO 8764

PHxDxL mm	L1 mm		
0x3x60	156	5	012020003
0x3x100	200	5	012020006
1x4,5x80	189	5	012020009
1x4,5x120	229	5	012020012
2x6x100	220	5	012020018
2x6x150	270	5	012020021
3x8x150	282	3	012020024
4x9,5x200	332	3	012020027



PHxDxL mm	L1 mm		
1202/S4		1	012020204
PH0x3x60-PH1x4,5x120			
PH2x6x150-PH3x8x150 mm			

## 1202N

screwdrivers for cross head Phillips® screws, extra-short series




UNI/ISO 8764

PHxDxL mm	L1 mm		
1x4,5x30	86,5	3	012020103
2x6x30	86,5	3	012020106

## 1202L

screwdrivers for cross head Phillips® screws, long series



UNI/ISO 8764-1

PHxDxL mm	L1 mm		
0x3x300	400	3	012020303
1x4,5x300	400	3	012020305
1x4,5x400	508	3	012020306
2x6x400	519	3	012020309

## 1203/D

set of screwdrivers



PHxDxL mm	L1 mm		
1203/D5		1	012030001
1201	0,6x3,5x100-1,0x5,5x150		
1202	1,2x6,5x150 mm		
	PH1x4,5x80-PH2x6x100 mm		

PHxDxL mm	L1 mm		
1203/D7		1	012030007
1201	0,5x3x75-0,8x4x100		
1202	1,0x5,5x100-1,2x6,5x150 mm		
	PH0x3x60-PH1x4,5x80		
	PH2x6x100 mm		

PHxDxL mm	L1 mm		
1203/D8		1	012030008
1201	0,5x3x75-0,8x4x125		
1202	1,0x5,5x150-1,2x6,5x150 mm		
	PH0x3x60-PH1x4,5x80		
	PH2x6x100-PH3x8x150 mm		

PHxDxL mm	L1 mm		
1203/D10N		1	012030019
1201	0,4x2,5x50-0,5x3x75-0,8x4x100-		
1201N	1,0x5,5x150-1,2x6,5x150 mm		
1202	0,8x4x30 mm		
1202N	PH0x3x60-PH1x4,5x80-		
	PH2x6x100 mm		
	PH1x4,5x30 mm		

PHxDxL mm	L1 mm		
1203/D10		1	012030010
1201	0,4x2,5x50-0,5x3x75		
1202	0,8x4x100-1,0x5,5x100		
	1,2x6,5x150-1,2x8x150 mm		
	PH0x3x60-PH1x4,5x80		
	PH2x6x100-PH3x8x150 mm		

PHxDxL mm	L1 mm		
1203/D6		1	012030006
1202	PH1x4,5x80-PH2x6x100 mm		
1204	0,4x2,5x60-0,5x3x100		
	0,8x4x100-1,0x5x125 mm		

PHxDxL mm	L1 mm		
1203/D5PZ		1	012030003
1201	0,5x3x75-0,8x4x125		
1209PZ	1,0x5,5x150 mm		
	PZ1x4,5x80-PZ2x6x100 mm		

## 1203/S



PHxDxL mm	L1 mm		
1203/S8		1	012030009
1201	2,5x50-3x75-4x100-5,5x125-		
1202	6,5x150 mm		
	PH0x3x60-PH1x4,5x80-		
	PH2x6x100 mm		

PHxDxL mm	L1 mm		
1203/S10		1	012030021
1201	0,4x2,5x50-0,5x3x75		
1202	0,8x4x125-1,0x5,5x150		
	1,2x6,5x150-1,2x8x150 mm		
	PH0x3x60-PH1x4,5x80		
	PH2x6x100-PH3x8x150 mm		

## 1204

screwdrivers for headless slotted screws



ISO 2380


SxDxL mm	L1 mm		
0,4x2,5x60	156	5	012040003
0,6x3x75	175	5	012040006
0,5x3x100	196	5	012040009
0,8x4x100	196	5	012040012
0,8x4x125	233	5	012040015
1x5x125	234	5	012040018
1x5x150	258	5	012040021
1,2x6,5x150	270	5	012040024



1204/S5	
0,4x2,5x60-0,5x3x100	1 012040205
0,8x4x100-1x5x125	
1,2x6,5x150 mm	

## 1204L

screwdrivers for headless slotted screws, long series



ISO 2380

SxAxL mm	L1 mm		
0,5x2,5x200	300	3	012040303
0,5x3x300	400	3	012040306
0,8x4x400	508	3	012040309
1x5x400	508	3	012040315
1,2x6,5x400	519	3	012040318

## 1205ES

hexagon drivers with handles



mm	L mm	L1 mm		
1,5	100	200	3	012050315
2	100	200	3	012050320
2,5	100	200	3	012050325
3	100	200	3	012050330
4	100	208	3	012050340
5	100	219	3	012050350
6	125	244	3	012050360
8	150	277	2	012050380



1205ES/S8	
1,5-2-2,5-3-4-5-6-8 mm	1 012050408

## 1207TX

screwdrivers for Torx® head screws, with handles



	L mm	L1 mm	Ø mm		
T5	50	150	3	5	012070005
T6	60	156	4	5	012070006
T7	60	156	4	5	012070007
T8	60	156	4	5	012070008
T9	60	156	4	5	012070009
T10	80	189	5	5	012070010
T15	80	189	5	5	012070015
T20	100	209	5	5	012070020
T25	100	209	5	5	012070025
T27	100	220	6	5	012070027
T30	100	220	6	5	012070030
T40	130	262	7	2	012070040
T45	130	262	8	2	012070045



1207TX/D7	
T6-T8-T10-T15 T20-T25-T30	1 012070207

## 1208RTX

screwdrivers for Tamper Resistant Torx® head screws, with handles



	L mm	L1 mm	Ø mm		
T9	60	156	4	5	012080009
T10	80	189	5	5	012080010
T15	80	189	5	5	012080015
T20	100	209	5	5	012080020
T25	100	209	5	5	012080025
T27	100	220	6	5	012080027
T30	100	220	6	5	012080030
T40	130	262	7	2	012080040



1208RTX/D7	
T9-T10-T15-T20 T25-T27-T30	1 012080207

## 1209PZ

screwdrivers for cross head Pozidriv®-Supadriv® screws



UNI/ISO 8764

PZ	L mm	L1 mm		
0	60	156	5	012090000
1	80	189	5	012090003
2	100	220	5	012090006
3	150	282	3	012090009
4	200	327	3	012090012



1209PZ/S4	
PZ0-PZ1-PZ2-PZ3	1 012090204

## 1209N/PZ

screwdrivers for cross head Pozidriv®-Supadriv® screws, extra-short series




ISO 8764

PZ	L mm	L1 mm		
1	30	87	3	012090103
2	30	87	3	012090106



## 1229LP

micro-screwdrivers  
for headless slotted screws




D mm	L mm	L1 mm		
1,0	17	75	5	012290210
1,2	21	85	5	012290212
1,4	21	89	5	012290214
1,8	23	94	5	012290218
2,0	23	98	5	012290220
2,4	26	103	5	012290224
3,0	28	108	5	012290230



1229LP/A6  
1,2-1,4-1,8-2-2,4-3 mm  
1 012290300

## 1229PH

micro-screwdrivers for cross head  
Phillips® screws



PH	L mm	L1 mm		
0	26	102	5	012290250
1	29	107	5	012290251

## 1229LPH/A6


set of 6 micro-screwdrivers  
items 1229LP-1229PH



1229LPH/A6  
1 012290310  
1229LP 1,4-2,0-2,4-3 mm  
1229PH PH0-PH1

## 1236B

offset screwdrivers  
for slotted head screws



UNI 7079 DIN 5200

SxA mm	L mm		
0,8x4	100	5	012360201
1x5,5	125	5	012360202
1,2x8	150	5	012360204

## 1238B

offset screwdrivers  
for cross head Phillips® screws



UNI 7083 DIN 5208

PH	L mm		
1-2	125	5	012380201
3-4	200	5	012380203

## 1241

screwdrivers with steel head for slotted head  
screws



ISO 2380

SxAxL mm	L1 mm		
1x5,5x100	202	5	012410039
1,2x6,5x125	240	5	012410050
1,2x8x150	268	3	012410057
1,6x10x200	325	2	012410066

## 1242

screwdrivers with steel head for cross head  
Phillips® screws



UNI/ISO 8764

PHxDxL mm	L1 mm		
1x4,5x100	202	5	012420209
2x6x100	215	5	012420218
3x8x150	268	3	012420221
4x11x200	325	2	012420224

## 1243/D7


Set of 7 screwdrivers with steel heads



1243/D7			
1241	1x5,5x100-1,2x6,5x125 1,2x8x150-1,6x10x200 mm	5	012430017
1242	PH1x4,5x100-PH2x6x100 PH3x8x150 mm	5	012430017

## 1250


screwholding screwdrivers  
for slotted head screws



SxDxL mm	L1 mm		
0,5x3x125	190	5	012500030
0,6x4x125	225	5	012500040
0,7x5x150	255	5	012500050


## 1251

screwholding screwdrivers  
for cross head Phillips® screws



PHxDxL mm	L1 mm		
0x4x125	225	5	012510000
1x5x150	255	5	012510010
2x6x175	280	5	012510020

## 1252/S5



1252/S5			
1250	0,5x3x125-0,6x4x125 0,7x5x150 mm	5	012520001
1251	PH1x5x150-PH2x6x175 mm	5	012520001