

36

cape chisels



L mm	A mm	L1 mm		
125	4	44	5	000360001
150	6	53	5	000360002

37

cape chisels, ribbed type



L mm	A mm	L1 mm		
150	6	45	5	000370001
200	8	55	3	000370002

37PM

cape chisel, ribbed type
with hand guard



L mm	A mm			
200	8	2	000370012	

37PMR

spare hand guard



L mm				
200		1	000370022	



38/B6				
30: 2-3 mm				
32: 4 mm				
34: 125-150 mm				
36: 150 mm				
42/BV6		1	000420051	
38/SP6		1	000380009	
30: 2-3 mm				
32: 4 mm				
34: 125-150 mm				
36: 150 mm				
38/SPV		1	000380019	

42

combination wrenches,
open and offset ring ends



DIN 3113 UNI-ISO 7738

mm	L mm	S1 mm		
5,5x5,5	95	3,4	5	000420005
6x6	95	3,4	5	000420006
7x7	105	3,6	5	000420007
8x8	116	3,9	5	000420008
9x9	127	4,2	5	000420009
10x10	137	4,5	5	000420010
11x11	148	4,8	5	000420011
12x12	158	5,1	5	000420012
13x13	169	5,4	5	000420013
14x14	180	5,7	5	000420014
15x15	190	6,0	5	000420015
16x16	201	6,3	5	000420016
17x17	212	6,7	5	000420017
18x18	222	7,0	5	000420018
19x19	233	7,3	5	000420019
20x20	243	7,6	3	000420020
21x21	254	7,9	3	000420021
22x22	264	8,1	3	000420022
23x23	275	8,3	3	000420023
24x24	285	8,5	3	000420024
25x25	296	8,7	2	000420025
26x26	307	8,9	2	000420026
27x27	317	9,1	2	000420027
28x28	328	9,3	2	000420028
29x29	338	9,5	2	000420029
30x30	349	9,7	2	000420030
32x32	370	10,1	2	000420032
34x34	391	10,5	1	000420034
35x35	412	10,7	1	000420035
36x36	412	10,9	1	000420036
38x38	433	11,3	1	000420038
41x41	465	12,0	1	000420041



42/B9		1	000420064	
6-7-8-10-11-13-14-17-19 mm				
42/BV9		1	000420056	



42/S14		1	000420067	
6-7-8-10-11-12-13-14 -15-16-17-19-22-24 mm				
42/S15		1	000420066	
6-7-8-10-11-12-13-14 17-19-22-24-27-30-32 mm				
42/S17		1	000420065	
6-7-8-9-10-11-12-13-14-15 16-17-18-19-20-21-22 mm				
42/S17X		1	000420068	
6-7-8-10-11-12-13-14- 15-16-17-19-21-22- 24-27-30 mm				
42/S26		1	000420070	
6-7-8-9-10-11-12-13-14 15-16-17-18-19-20-21 22-23-24-25-26-27-28 29-30-32 mm				

42/SC9I-E


set of 9 combination wrenches, open and
offset ring ends, with compact support



42/SC9I		1	000420087	
8-10-11-12-13-14-15-17-19 mm				
42/SCV9I		1	000420103	
42/SC9E		1	000420088	
8-10-11-12-13-16-17-18-19 mm				
42/SCV9E		1	000420104	



42/SP25		1	000420085	
6-7-8-9-10-11-12-13-14 15-16-17-18-19-20-21 22-23-24-25-26-27-28 30-32 mm				
42/SPV2		1	000420090	



42/SP15		1	000420078	
6-7-8-9-10-11-12-13-14-15 16-17-19-22-24 mm				
42/SPV7		1	000420097	
42: 8-10-11-13-14-17-19 mm 55: 6x7-8x9-10x11-12x13 14x15-16x17-18x19 mm				
42/SPV11		1	000420100	
42MP: 8-9-10-11-12-13 14-15-16-17-19 mm 142-142SN: 8-9-10-11-12-13 14-15-16-17-19 mm				
42/SPV15		1	000420102	
42: 6-7-8-9-10-11-12-13-14 15-16-17-19-22-24 mm				

42AS

combination wrenches,
open and offset ring ends



mm	L mm		
1/4x1/4	95	2	000420106
9/32X9/32	106	2	000420107
5/16x5/16	116	2	000420108
3/8x3/8	137	2	000420110
7/16x7/16	148	2	000420111
1/2x1/2	169	2	000420113
9/16x9/16	180	2	000420114
19/32X19/32	191	2	000420115
5/8x5/8	201	2	000420116
11/16x11/16	212	2	000420117
3/4x3/4	233	2	000420119
13/16x13/16	254	2	000420121
7/8x7/8	264	2	000420122
15/16x15/16	285	2	000420124
1x1	296	2	000420125
1.1/16x1.1/16	317	2	000420127
1.1/8x1.1/8	338	2	000420129
1.1/4x1.1/4	370	2	000420132
1.5/16x1.5/16	391	1	000420133
1.3/8x1.3/8	412	1	000420135
1.7/16x1.7/16	412	1	000420136
1.1/2x1.1/2	433	1	000420138



mm	L mm		
42AS/B9		1	000420155
1/4-5/16-3/8-7/16-1/2			
9/16-5/8-11/16-3/4			



mm	L mm		
42AS/13		1	000420163
1/4-5/16-3/8-7/16-1/2-9/16-5/8			
11/16-3/4-13/16-7/8-15/16-1			
42AS/16		1	000420166
1/4-5/16-3/8-7/16-1/2-9/16-5/8			
11/16-3/4-13/16-7/8-15/16-1-1.1/16-1.1/8-1.1/4			
42AS/17		1	000420168
1/4-9/32-5/16-3/8-7/16-1/2-9/16-19/32-5/8-11/16-3/4-13/16-7/8-15/16-1-1.1/16-1.1/8			

Beta
INOX
STAINLESS STEEL



42MP

combination wrenches, open and offset
ring ends, bright chrome-plated




DIN 3113 UNI-ISO 7738

mm	L mm		
6x6	95	5	000420606
7x7	105	5	000420607
8x8	116	5	000420608
9x9	127	5	000420609
10x10	137	5	000420610
11x11	148	5	000420611
12x12	158	5	000420612
13x13	169	5	000420613
14x14	180	5	000420614
15x15	190	5	000420615
16x16	201	5	000420616
17x17	212	5	000420617
18x18	222	5	000420618
19x19	233	5	000420619
20x20	243	3	000420620
21x21	254	3	000420621
22x22	264	3	000420622
24x24	285	3	000420624
27x27	317	3	000420627
30x30	349	3	000420630
32x32	370	3	000420632



mm	L mm		
42MP/B9		1	000420651
6-7-8-10-11-13-14-17-19 mm			
42/BV9		1	000420056



mm	L mm		
42MP/S17		1	000420652
6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm			
42MP/S21		1	000420653
6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm			

42LMP

combination wrenches, open and offset
ring ends, long series, bright chrome-plated



mm	L mm		
8x8	148	2	000420508
9x9	167	2	000420509
10x10	172	2	000420510
11x11	186	2	000420511
12x12	197	2	000420512
13x13	207	2	000420513
14x14	223	2	000420514
15x15	233	2	000420515

mm	L mm		
16x16	243	2	000420516
17x17	261	2	000420517
18x18	270	2	000420518
19x19	280	2	000420519
21x21	301	2	000420521
22x22	318	2	000420522
24x24	338	2	000420524
27x27	376	2	000420527
30x30	394	2	000420530
32x32	435	2	000420532



mm	L mm		
42LMP/S14		1	000420551
8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm			
42LMP/S18		1	000420552
8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm			


42SLIM

combination wrenches with thin open ends



DIN 3113 UNI-ISO 7738

mm	L mm	S1 mm		
8x8	116	3,4	5	000420408
10x10	137	3,8	5	000420410
11x11	148	3,8	5	000420411
12x12	158	4,2	5	000420412
13x13	169	4,4	5	000420413
14x14	180	4,6	5	000420414
15x15	190	4,7	5	000420415
16x16	201	4,7	5	000420416
17x17	212	5,1	5	000420417
18x18	222	5,1	5	000420418
19x19	233	5,6	5	000420419




mm	L mm		
42SLIM/B8I		1	000420468
10-11-12-13-14-15-17-19 mm			
42SLIM/B8E		1	000420469
10-11-12-13-16-17-18-19 mm			
42SLIM/S11		1	000420471
8-10-11-12-13-14-15-16-17-18-19 mm			

Beta

45

combination wrenches,
open and offset ring ends, heavy series



DIN 3113 UNI-ISO 7738

mm	L mm		
46x46	520	1	000450046
50x50	560	1	000450050
55x55	610	1	000450055
60x60	660	1	000450060
65x65	710	1	000450065
70x70	760	1	000450070
75x75	810	1	000450075
80x80	860	1	000450080

52

single open end wrenches



UNI 6733 DIN 3114

mm	L mm		
10	119	5	000520010
11	119	5	000520011
12	119	5	000520012
13	145	5	000520013
14	145	5	000520014
15	145	5	000520015
16	159	5	000520016
17	159	5	000520017
18	159	5	000520018
19	175	5	000520019
20	175	5	000520020
21	175	5	000520021
22	196	2	000520022
23	196	2	000520023
24	196	2	000520024
25	215	2	000520025
26	215	2	000520026
27	215	2	000520027
28	240	2	000520028
30	240	2	000520030
32	270	2	000520032
34	270	1	000520034
35	295	1	000520035
36	295	1	000520036
38	295	1	000520038
40	335	1	000520040
41	335	1	000520041
42	335	1	000520042
45	370	1	000520045
46	370	1	000520046
48	370	1	000520048
50	415	1	000520050
52	415	1	000520052
55	415	1	000520055
60	490	1	000520060
65	490	1	000520065
70	490	1	000520070

Beta

53

single open end wrenches DIN 894



mm	L mm		
36	317	1	000530036
38	320	1	000530038
41	342	1	000530041
46	396	1	000530046
50	412	1	000530050
55	457	1	000530055
60	492	1	000530060
65	528	1	000530065
70	572	1	000530070
75	608	1	000530075
80	645	1	000530080
85	690	1	000530085
90	690	1	000530090
95	847	1	000530095
100	847	1	000530100
105	1000	1	000530105
110	1000	1	000530110
115	1000	1	000530115
120	1000	1	000530120
125	1000	1	000530125
130	1000	1	000530130
135	1000	1	000530135

55

double open end wrenches



UNI-ISO 10102 DIN 3110

mm	L mm		
4x5	101	5	000550003
5x5,5	101	5	000550006
5,5x7	120	5	000550009
6x7	120	5	000550012
7x8	140	5	000550018
8x9	140	5	000550021
8x10	140	5	000550024
10x11	155	5	000550030
10x12	155	5	000550033
10x13	170	5	000550035
12x13	170	5	000550042
12x14	170	5	000550045
13x14	185	5	000550047
13x17	189	5	000550051
14x15	185	5	000550054
14x17	189	5	000550057
16x17	202	5	000550060
17x19	220	2	000550063
18x19	220	2	000550066
19x22	236	2	000550069

mm	L mm		
20x22	236	2	000550075
21x23	245	2	000550078
22x24	245	2	000550081
24x26	262	2	000550087
24x27	262	2	000550090
25x28	272	2	000550096
27x29	284	2	000550099
27x30	284	2	000550102
27x32	297	2	000550105
30x32	297	2	000550108
32x36	325	1	000550114
34x36	325	1	000550117
35x38	375	1	000550120
36x41	375	1	000550123
41x46	425	1	000550129
46x50	475	1	000550132
50x55	500	1	000550135
55x60	500	1	000550138



55/B8	6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	1	000550158
55/BV8		1	000550159
55/B12	6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	1	000550162
55/BV12		1	000550163



55/S8	6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	1	000550174
55/S12	6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	1	000550178
55/S12X	6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x27 25x28-30x32 mm	1	000550179
55/S13	6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	000550182

Beta

Beta



55/SP7



55/SP13

Model	Quantity	Part Number
55/SP7 6x7-8x9-10x11-12x13 14x15-16x17-18x19 mm	1	000550167
42/SPV7 8-10-11-13-14-17-19 mm	1	000420097
55/SP13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	000550186
55/SPV	1	000550190

55AS

double open end wrenches



Model	Quantity	Part Number
1/4x9/32	2	000550203
1/4x5/16	2	000550206
5/16x11/32	2	000550209
5/16x3/8	2	000550212
3/8x7/16	2	000550215
7/16x1/2	2	000550218
1/2x9/16	2	000550221
9/16x5/8	2	000550224
19/32x11/16	2	000550227
5/8x11/16	2	000550230
5/8x3/4	2	000550233
11/16x13/16	2	000550242
3/4x7/8	2	000550245
25/32x13/16	2	000550244
7/8x15/16	2	000550251
15/16x1	1	000550257
1x1.1/8	1	000550259
1.1/16x1.1/4	1	000550267
1.1/8x1.5/16	1	000550266
1.5/16x1.1/2	1	000550269
1.3/8x1.1/2	1	000550272
1.7/16x1.5/8	1	000550275



Model	Quantity	Part Number
55AS/5 5/16x11/32-3/8x7/16 1/2x9/16-5/8x11/16 3/4x7/8	1	000550290
55AS/8 1/4x9/32-5/16x11/32-3/8x7/16- 1/2x9/16-9/16x5/8-5/8x11/16- 11/16x13/16-3/4x7/8	1	000550296
55AS/12 1/4x9/32-5/16x11/32-3/8x7/16-1 /2x9/16-9/16x5/8-5/8x11/16- 11/16x13/16-25/32x13/16-3/4x7/8- 15/16x1-1x1.1/8-1.1/16x1.1/4	1	000550298

55MP

double open end wrenches,
bright chrome-plated



UNI-ISO 10102 DIN 3110


Model	Quantity	Part Number
6x7	2	000550603
8x9	2	000550606
10x11	2	000550609
12x13	2	000550612
14x15	2	000550615
16x17	2	000550618
18x19	2	000550621
20x22	2	000550624
21x23	2	000550627
24x26	1	000550630
25x28	1	000550633
27x29	1	000550636
30x32	1	000550639



Model	Quantity	Part Number
55MP/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	1	000550650
55MP/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	000550651
55MP/S12 6x7-8x9-10x11-12x13-14x15- 16x17-18x19-20x22-21x23-24x26- 25x28-30x32 mm	1	000550653

58

open end slogging wrenches



DIN 133

Model	Quantity	Part Number
24	1	000580024
27	1	000580027
30	1	000580030
32	1	000580032
34	1	000580034
36	1	000580036
41	1	000580041
46	1	000580046
50	1	000580050
55	1	000580055
60	1	000580060
65	1	000580065
70	1	000580070
75	1	000580075
80	1	000580080
85	1	000580085
90	1	000580090
95	1	000580095
100	1	000580100
105	1	000580105

Model	Quantity	Part Number
110	1	000580110
115	1	000580115
120	1	000580120
125	1	000580125
130	1	000580130
135	1	000580135
*140	1	000580140
*145	1	000580145
*150	1	000580150
*155	1	000580155
*160	1	000580160
*165	1	000580165
*170	1	000580170
*175	1	000580175
*180	1	000580180
*185	1	000580185
*190	1	000580190
*195	1	000580195
*200	1	000580200
*210	1	000580210
*220	1	000580220
*230	1	000580230

73

small double open end wrenches



UNI 6737

Model	Quantity	Part Number
4x4	5	000730040
4,5x4,5	5	000730045
5x5	5	000730050
5,5x5,5	5	000730055
6x6	5	000730060
7x7	5	000730070
8x8	5	000730080
9x9	5	000730090
10x10	5	000730100
11x11	5	000730110
12x12	5	000730120
13x13	5	000730130
14x14	5	000730140



Model	Quantity	Part Number
73/B13 4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	1	000730200
73/BV	1	000730201



Model	Quantity	Part Number
73/S13 4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	1	000730210



ring slogging wrenches



DIN 7444

mm	L mm		
24	162	1	000780024
27	180	1	000780027
30	190	1	000780030
32	190	1	000780032
34	200	1	000780034
36	205	1	000780036
41	225	1	000780041
46	235	1	000780046
50	250	1	000780050
55	265	1	000780055
60	275	1	000780060
65	295	1	000780065
70	325	1	000780070
75	325	1	000780075
80	350	1	000780080
85	350	1	000780085
90	390	1	000780090
95	390	1	000780095
100	420	1	000780100
105	420	1	000780105
110	450	1	000780110
115	450	1	000780115
120	490	1	000780120
125	480	1	000780125
130	520	1	000780130
135	520	1	000780135
*140	520	1	000780140
*145	580	1	000780145
*150	580	1	000780150
*155	580	1	000780155
*160	650	1	000780160
*165	650	1	000780165
*170	650	1	000780170
*175	650	1	000780175
*180	650	1	000780180
*185	695	1	000780185
*190	695	1	000780190
*195	695	1	000780195
*200	695	1	000780200
*210	740	1	000780210
*215	740	1	000780215
*220	740	1	000780220
*230	740	1	000780230

78AS

ring slogging wrenches




"	L mm		
*1.1/16	180	1	000780327
*1.1/8	190	1	000780329
*1.3/16	190	1	000780330
*1.1/4	197	1	000780332
*1.5/16	197	1	000780333
*1.3/8	223	1	000780335
*1.7/16	223	1	000780336
*1.1/2	223	1	000780338
*1.5/8	223	1	000780341
*1.11/16	225	1	000780343
*1.13/16	240	1	000780346
*1.7/8	250	1	000780348
*2	250	1	000780350
*2.1/16	250	1	000780352
*2.3/16	275	1	000780355
*2.3/8	270	1	000780360
*2.9/16	302	1	000780365
*2.3/4	350	1	000780370
*2.15/16	350	1	000780375
*3.1/8	354	1	000780380

80

double swivel end socket wrenches



mm	L mm		
6x7	170	3	000800006
8x9	176	3	000800008
8x10	179	3	000800009
10x11	182	3	000800010
12x13	228	3	000800012
14x15	232	3	000800014
13x17	231	3	000800015
16x17	234	2	000800016
18x19	285	2	000800018
19x22	287	2	000800019
20x22	289	2	000800020
21x23	289	2	000800021
24x27	405	2	000800024
30x32	413	2	000800030



80/S8	
6x7-8x9-10x11-12x13-14x15	1 000800051
16x17-18x19-20x22 mm	
80/S11	
6x7-8x9-10x11-12x13	1 000800056
14x15-16x17-18x19-20x22	
21x23-24x27-30x32 mm	

83

half-moon ring wrenches



ISO 3318

mm	L mm		
8x10	126	3	000830008
10x12	137	3	000830010
11x13	138	3	000830011
14x17	183	3	000830014
15x17	184	2	000830015
16x18	196	2	000830016
19x22	231	2	000830019



83/S3	
11x13-14x17-19x22 mm	1 000830081
83/S5	
10x12-11x13-15x17	1 000830085
16x18-19x22 mm	

83AS

half-moon ring wrenches



"	L mm		
7/16x1/2	138	2	000830111
9/16x5/8	183	2	000830114
3/4x7/8	230	2	000830119




83AS/3	
7/16x1/2-9/16x5/8	1 000830181
3/4x7/8	

88

double ended flat ring wrenches, extra-long series



mm	L mm		
8x10	235	2	000880008
12x14	330	2	000880012
13x15	330	2	000880013
16x18	405	2	000880016
17x19	405	2	000880017
21x23	435	2	000880021
22x24	435	2	000880022



88/S7	
8x10-12x14-13x15-16x18-	1 000880107
17x19-21x23-22x24 mm	

90

double ended deep offset ring wrenches



DIN 838 ISO 10104

mm	L mm		
6x7	165	5	000900006
8x9	180	5	000900012
8x10	180	5	000900015
10x11	195	5	000900018
10x12	195	5	000900021
11x13	215	5	000900024
12x13	215	5	000900027
12x14	215	5	000900030
14x15	230	5	000900033
14x17	250	5	000900036
16x17	250	5	000900039
17x19	265	5	000900042
18x19	265	5	000900045
19x22	285	3	000900048
20x22	285	3	000900051
21x23	305	2	000900057
22x24	305	2	000900060
24x26	325	2	000900063
24x27	325	2	000900067
25x28	340	2	000900070
27x29	355	2	000900073
27x30	355	2	000900076
27x32	375	2	000900078
30x32	375	2	000900080
32x36	395	1	000900088
34x36	415	1	000900089
35x38	415	1	000900091
36x41	435	1	000900094
41x46	460	1	000900097
46x50	500	1	000900100



90/B8		1	000900154

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22 mm

90/BV8		1	000900155



90/S8		1	000900162

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22 mm

90/S12		1	000900166

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x26
25x28-30x32 mm

90/S12X		1	000900167

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x27
25x28-30x32 mm

90/S13		1	000900170

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x26
25x28-27x29-30x32 mm



90/SP13		1	000900174

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x26
25x28-27x29-30x32 mm


55/SPV		1	000550190

90AS

double ended deep offset ring wrenches



mm	L mm		
1/4x5/16	165	2	000900203
5/16x11/32	180	2	000900206
5/16x3/8	180	2	000900209
3/8x7/16	195	2	000900212
7/16x1/2	215	2	000900215
1/2x9/16	230	2	000900218
9/16x5/8	230	2	000900221
19/32x11/16	250	2	000900222
5/8x11/16	250	2	000900224
5/8x3/4	265	2	000900227
11/16x3/4	265	1	000900230
11/16x13/16	265	1	000900233
3/4x25/32	265	1	000900235
3/4x7/8	285	1	000900237
13/16x7/8	285	1	000900240
7/8x15/16	305	1	000900243
15/16x1	325	1	000900252
1.1/16x1.1/4	375	1	000900258
1.1/8x1.5/16	375	1	000900261



90AS/8		1	000900298

1/4x5/16-5/16x11/32
3/8x7/16-1/2x9/16
5/8x11/16-11/16x3/4
13/16x7/8-15/16x1

90AS/10		1	000900300

1/4x5/16-5/16x11/32
3/8x7/16-1/2x9/16
5/8x11/16-11/16x3/4
13/16x7/8-15/16x1
1.1/16x1.1/4-1.1/8x1.5/16



91

heavy duty offset ring wrenches



mm	Ø mm		
24	38	1	000910024
27	41	1	000910027
30	48	1	000910030
32	49	1	000910032
36	54	1	000910036
41	62	1	000910041
46	69	1	000910046
50	76	1	000910050
55	81	1	000910055
60	90	1	000910060
65	98	1	000910065
70	105	1	000910070
75	110	1	000910075
80	125	1	000910080
85	125	1	000910085
90	140	1	000910090
95	140	1	000910095
100	143	1	000910100
105	146	1	000910105

92

tubes for item 91



	L mm	91 mm	Ø mm		
92/1	460	24÷30	19	1	000920010
92/2	610	32÷41	22	1	000920020
92/3	760	46÷55	25	1	000920030
92/4	860	60÷105	30	1	000920040

93

double-ended offset ring wrench for scaffolding bolts



mm	L mm		
21x22	310	3	000930021

93C

ratcheting double-ended offset ring wrenches for scaffolding bolts




mm	L mm		
17x19	310	1	000930117
19x22	310	1	000930119
19x24	310	1	000930120
21x22	365	1	000930121
36x38	445	1	000930136

flare nut open ring wrenches



DIN 3118

mm	L mm	QTY	Part No.
8x10	140	2	000940008
9x11	153	2	000940009
10x11	153	2	000940010
11x13	175	2	000940011
12x14	175	2	000940012
13x15	175	2	000940013
14x15	175	2	000940014
14x17	195	2	000940015
17x19	212	2	000940017
19x22	228	2	000940019
22x24	242	2	000940022
24x27	260	2	000940024
30x32	300	2	000940030
36x41	320	1	000940036



94/S6 1 000940050

8x10-10x11-11x13-12x14
17x19-19x22 mm

94/S10 1 000940052

8x10-9x11-10x11-11x13
12x14-17x19-19x22
22x24-24x27-30x32 mm

95

double ended flat ring wrenches



DIN 837 ISO 10103

mm	L mm	QTY	Part No.
6x7	120	3	000950161
8x9	135	3	000950162
10x11	150	3	000950163
12x13	165	3	000950164
14x15	185	3	000950165
16x17	210	3	000950166
17x19	225	3	000950167
18x19	225	2	000950168
20x22	240	2	000950169
21x23	255	2	000950170
24x26	270	2	000950171
25x28	285	2	000950172
27x29	315	2	000950173
30x32	335	2	000950174



95/S8 1 000950177

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22 mm

95/S13 1 000950179

6x7-8x9-10x11-12x13
14x15-16x17-18x19
20x22-21x23-24x26
25x28-27x29-30x32 mm

95FTX

double-ended straight wrenches, for Torx® head screws



mm	L mm	QTY	Part No.
E6xE8	115	2	000950306
E10xE12	143	2	000950310
E14xE18	177	2	000950314
E20xE24	224	2	000950320



95FTX/S4 1 000950325

E6xE8-E10xE12
E14xE18-E20xE24

96

offset hexagon key wrenches chrome-plated



ISO 2936

mm	L mm	L1 mm	QTY	Part No.
0,9	35	8	20	000960013
1,3	39	10	20	000960014
1,5	45	15	20	000960015
2	50	17	20	000960020
2,5	57	20	20	000960025
3	64	22	20	000960030
3,5	68	25	20	000960035
4	72	28	20	000960040
4,5	78	30	20	000960045
5	83	32	20	000960050
5,5	88	35	20	000960055
6	94	37	20	000960060
7	99	40	10	000960070
8	105	43	10	000960080
9	111	46	10	000960090
10	119	49	10	000960100
11	126	52	10	000960110
12	134	56	10	000960120
13	142	62	10	000960130
14	151	69	10	000960140
16	165	75	5	000960160
17	174	79	5	000960170
19	196	88	5	000960190
22	216	100	3	000960220
24	242	112	1	000960240
27	271	125	1	000960270
30	309	140	1	000960300
32	341	155	1	000960312
36	385	174	1	000960316



96/ST6 3 000960370

2,5-3-4-5-6-8 mm



96/BGS7 1 000960367

1,5-2-2,5-3-4-5-6 mm



96/BG7 1 000960368

2,5-3-4-5-6-8-10 mm



96/B8 5 000960386

2-2,5-3-4-5-6-8-10 mm

96/B10 5 000960380

1,5-2-2,5-3-4-5-6-8-10-12 mm

96N/BV 1 000960651



96/SC9 1 000960374

1,5-2-2,5-3-4-5-6-8-10 mm

96/SCV 1 000960985



96/SC12 1 000960395

2-2,5-3-3,5-4-4,5-5

6-7-8-9-10 mm

96/SCV12 1 000960975

